

# Han 24B-HMC-gs-R-M25



Part number 19 30 224 1541

Specification Han 24B-HMC-gs-R-M25

HARTING eCatalogue https://b2b.harting.com/19302241541

Image is for illustration purposes only. Please refer to product description.

#### Identification

| Category                 | Hoods/Housings       |
|--------------------------|----------------------|
| Series of hoods/housings | Han <sup>®</sup> HMC |
| Type of hood/housing     | Hood                 |
| Туре                     | Low construction     |

#### Version

| Size                 | 24 B  |
|----------------------|---|
| Version              | Side entry  |
| Cable entry          | 1x M25  |
| Locking type         | Single locking lever                              |
| Field of application | Special hoods and housings for high mating cycles |

#### Technical characteristics

| Limiting temperature                    | -40 +125 °C |
|---|-------------|
| Mating cycles with other HMC components | ≥10,000     |
| Degree of protection acc. to IEC 60529  | IP65        |
| Type rating acc. to UL 50 / UL 50E      | 4           |
|   | 4X          |
|   | 12          |

#### Material properties

| Material (hood/housing) | Aluminium die-cast   |
|-------------------------|----------------------|
| Surface (hood/housing)  | Powder-coated        |
| Colour (hood/housing)   | RAL 7037 (dust grey) |



## Material properties

| RoHS                                 | compliant     |
|--------------------------------------|---------------|
| ELV status                           | compliant     |
| China RoHS                           | е             |
| REACH Annex XVII substances          | Not contained |
| REACH ANNEX XIV substances           | Not contained |
| REACH SVHC substances                | Not contained |
| California Proposition 65 substances | Yes           |
| California Proposition 65 substances | Nickel        |

### Specifications and approvals

| Approvals DNV GL |  |
|------------------|--|
|------------------|--|

#### Commercial data

| Commercial data                |  |
|--------------------------------|--|
| Packaging size                 | 1  |
| Net weight                     | 239.8 g                                  |
| Country of origin              | Germany                                  |
| European customs tariff number | 85389099                                 |
| eCl@ss                         | 27440202 Shell for industrial connectors |

## **X-ON Electronics**

Largest Supplier of Electrical and Electronic Components

Click to view similar products for Heavy Duty Power Connectors category:

Click to view products by HARTING manufacturer:

Other Similar products are found below:

647757-1 6643411-1 6646058-2 6646137-1 6646138-1 6646479-1 6646608-1 6646786-1 6646940-1 6651091-1 6651525-1 6651529-1 6651788-1 696475-1 73000005059 73000005642 765-15-0080A 765-16-0080B 829992-1 902-77-02113 129-1J AN0024023 E6374G1 e6389g2 157-43GW8 MS3117-14AC 1643543-1 1650540-1 1651811-2 1766260-1 1766282-1 1766966-1 1791340000 NLDFT-3-BL-L-S120-M40A NLDFT-N-W-L-C240-M40B NLS-2-R-C240-M40B NLS-N-W-C240-M40B NPS-3-BL-T6 1986615-1 2-1589900-8 2199314-1 KA8102 9300480317 SBS50BRN#6 29131 29652 1646905-1 1648320-1 1648582-1 1650195-2