

Han 3HvE-kg-QB-M20



| Part number | 19 34 003 0730 |
|--------------------|-------------------------------------|
| Specification | Han 3HvE-kg-QB-M20 |
| HARTING eCatalogue | https://b2b.harting.com/19340030730 |

Image is for illustration purposes only. Please refer to product description.

Identification

| Category | Hoods/Housings |
|--------------------------|------------------------|
| Series of hoods/housings | Han Hv E [®] |
| Type of hood/housing | Cable to cable housing |
| Туре | Low construction |

Version

| Size | 10 B |
|----------------------------|-----------------------------------------------------------------|
| Version | Top entry |
| Cable entry | 1x M20 |
| Locking type | Double locking lever |
| Han-Easy Lock [®] | Yes |
| Field of application | Special hoods/housings for Han Hv E [®] screw terminal |

Technical characteristics

| Limiting temperature | -40 +125 °C |
|----------------------------------------|-------------|
| Degree of protection acc. to IEC 60529 | IP65 |
| Type rating acc. to UL 50 / UL 50E | 4 |
| | 4X |
| | 12 |

Material properties

| Material (hood/housing) | Aluminium die-cast |
|-------------------------|--------------------|
| Surface (hood/housing) | Powder-coated |



Material properties

| Colour (hood/housing) | RAL 7037 (dust grey) |
|------------------------------------------------------------|-----------------------------------------------------------|
| Material (seal) | NBR |
| Material (locking) | Polycarbonate (PC) Stainless steel |
| Colour (locking) | RAL 7037 (dust grey) |
| Material flammability class acc. to UL 94 (locking levers) | V-0 |
| RoHS | compliant |
| ELV status | compliant |
| China RoHS | е |
| REACH Annex XVII substances | Not contained |
| REACH ANNEX XIV substances | Not contained |
| REACH SVHC substances | Yes |
| REACH SVHC substances | Potassium 1,1,2,2,3,3,4,4,4-nonafluorobutane-1-sulphonate |
| California Proposition 65 substances | Yes |
| California Proposition 65 substances | Nickel Naphthalene |
| | |

Specifications and approvals

| Approvals | DNV GL |
|-----------|--------|
| CE | Yes |

Commercial data

| Packaging size | 1 |
|--------------------------------|------------------------------------------|
| Net weight | 171.6 g |
| Country of origin | Germany |
| European customs tariff number | 85389099 |
| eCl@ss | 27440202 Shell for industrial connectors |

X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for Heavy Duty Power Connectors category:

Click to view products by HARTING manufacturer:

Other Similar products are found below:

647757-1 6643411-1 6646058-2 6646137-1 6646138-1 6646479-1 6646608-1 6646786-1 6646940-1 6651091-1 6651525-1 6651529-1 6651788-1 696475-1 73000005059 73000005642 765-15-0080A 765-16-0080B 829992-1 902-77-02113 129-1J AN0024023 E6374G1 e6389g2 157-43GW8 MS3117-14AC 1643543-1 1650540-1 1651811-2 1766260-1 1766282-1 1766966-1 1791340000 NLDFT-3-BL-L-S120-M40A NLDFT-N-W-L-C240-M40B NLS-2-R-C240-M40B NLS-N-W-C240-M40B NPS-3-BL-T6 1986615-1 2-1589900-8 2199314-1 KA8102 9300480317 SBS50BRN#6 29131 29652 1646905-1 1648320-1 1648582-1 1650195-2