

	Part number	19 36 010 1420
	Specification	Han B Top Entry LC M20 Exi_For Double Le
	HARTING eCatalogue	https://b2b.harting.com/19360101420

Identification

Category	Hoods/Housings
Series of hoods/housings	Han [®] Ex
Type of hood/housing	Hood

Version

Locking type	Double locking lever
Size	10 B
Version	Top entry
Cable entry	1x M20
Field of application	Connectors for explosion hazardous environments
Details	ATTENTION! Only to be used with Han [®] Ex inserts!

Technical characteristics

Limiting temperature	-20 +40 °C
Degree of protection acc. to IEC 60529	IP65 With cable gland

Material properties

Material (hood/housing)	Zinc die-cast
Surface (hood/housing)	Powder-coated
Colour (hood/housing)	RAL 5015 (sky blue)
RoHS	compliant
ELV status	compliant
China RoHS	e
REACH Annex XVII substances	No

Page 1 / 2 | Creation date 2019-10-31 | Please note that the data specified here were taken as extracts from the online catalogue. Please refer to the user documentation for the complete and up-to-date information and data. Please also note that the user is responsible for validating functionality, conformity with applicable laws and directives, as well as for the electrical safety in the particular application. HARTING Electric GmbH & Co. KG | Wilhelm-Harting-Straße 1 | 32339 Espelkamp | Germany Phone +49 5772 47-97100 | electric@HARTING.com | www.HARTING.com

Han B Top Entry LC M20 Exi_For Double Le

Product data sheet 19 36 010 1420 Han B Top Entry LC M20 Exi_For Double Le



Material properties		
REACH ANNEX XIV substances	No	
REACH SVHC substances	No	
Commercial data		
Packaging size	1	
Net weight	310 g	
Country of origin	China	
European customs tariff number	85389099	
eCl@ss	27440202 Shell for industrial connectors	

Page 2 / 2 | Creation date 2019-10-31 | Please note that the data specified here were taken as extracts from the online catalogue. Please refer to the user documentation for the complete and up-to-date information and data. Please also note that the user is responsible for validating functionality, conformity with applicable laws and directives, as well as for the electrical safety in the particular application. HARTING Electric GmbH & Co. KG | Wilhelm-Harting-Straße 1 | 32339 Espelkamp | Germany Phone +49 5772 47-97100 | electric@HARTING.com | www.HARTING.com

X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for Heavy Duty Power Connectors category:

Click to view products by HARTING manufacturer:

Other Similar products are found below :

1424439 1424438 09330062652 2-8675P1 580129-2 605601-1 6340G1 6341G1 6360G1 6373G1 6374g2 6396G1 647757-1 66394-4 6643411-1 6646058-2 6646137-1 6646138-1 6646348-1 6646479-1 6646608-1 6646786-1 6646940-1 6651091-1 6651525-1 6651529-1 6651778-1 6651788-1 696465-1 696475-1 73000005059 73000005349 73000005642 73080255059 73080965046 765-15-0080A 765-16-0080B 789.700-44 789.700-54 80-1010 80-9 827381-1 829992-1 902-77-02113 PL00U-301-10D10 PM103MOOLOO PM16S1620S32-50 PM212MOOLOO PM309FOOLOO PM324FOOLCH