

# Han B Side Entry LC M25 Exi\_for DL



| Part number        | 19 36 016 1521                      |
|--------------------|-------------------------------------|
| Specification      | Han B Side Entry LC M25 Exi_for DL  |
| HARTING eCatalogue | https://b2b.harting.com/19360161521 |

Image is for illustration purposes only. Please refer to product description.

#### Identification

| Category                 | Hoods/Housings      |
|--------------------------|---------------------|
| Series of hoods/housings | Han <sup>®</sup> Ex |
| Type of hood/housing     | Hood                |

### Version

ELV status

China RoHS

| Size                 | 16 B   |
|----------------------|--|
| Version              | Side entry   |
| Cable entry          | 1x M25   |
| Locking type         | Double locking lever   |
| Field of application | Connectors for explosion hazardous environments              |
| Details              | ATTENTION! Only to be used with Han <sup>®</sup> Ex inserts! |

## Technical characteristics

| Limiting temperature                   | -20 +40 °C            |
|--|-----------------------|
| Degree of protection acc. to IEC 60529 | IP65 With cable gland |
|  |                       |
| Material properties                    |                       |
| Material (hood/housing)                | Zinc die-cast         |
| Surface (hood/housing)                 | Powder-coated         |
| Colour (hood/housing)                  | RAL 5015 (sky blue)   |
| RoHS                                   | compliant             |
|  |                       |

Page 1 / 2 | Creation date 2022-01-15 | Please note that the data specified here were taken as extracts from the online catalogue. Please refer to the user documentation for the complete and up-to-date information and data. Please also note that the user is responsible for validating functionality, conformity with applicable laws and directives, as well as for the electrical safety in the particular application. HARTING Electric Stiftung & Co. KG | Wilhelm-Harting-Straße 1 | 32339 Espelkamp | Germany Phone +49 5772 47-97100 | electric@HARTING.com | www.HARTING.com

compliant

е

Product data sheet 19 36 016 1521 Han B Side Entry LC M25 Exi\_for DL



### Material properties

| REACH Annex XVII substances          | Not contained                            |
|--------------------------------------|--|
| REACH ANNEX XIV substances           | Not contained                            |
| REACH SVHC substances                | Not contained                            |
| California Proposition 65 substances | Yes                                      |
| California Proposition 65 substances | Nickel<br>Lead                           |
| Commercial data                      |  |
| Packaging size                       | 1  |
| Net weight                           | 490 g                                    |
| Country of origin                    | China                                    |
| European customs tariff number       | 85389099                                 |
| eCl@ss                               | 27440202 Shell for industrial connectors |

# **X-ON Electronics**

Largest Supplier of Electrical and Electronic Components

Click to view similar products for Headers & Wire Housings category:

Click to view products by HARTING manufacturer:

Other Similar products are found below :

 892-18-020-10-001101
 58102-G61-06LF
 582553-1
 0009485154
 009176003701906
 0050291907
 LY20-4P-DT1-P1E-BR
 02.125.8002.8

 609-3404
 61062-3
 622-0430
 622-3653LF
 63453-116
 636-1030
 636-1427
 636-3427
 636-4007
 641938-9
 641991-4
 644827-2
 65817-010LF

 65817-015LF
 65863-015LF
 66207-023LF
 67095-007LF
 67601157
 68648-049
 70.362.1628.0
 70-4210
 70-4226B
 70-4853B
 707-5020
 707 

 5028
 71.350.2428.0
 71918-208LF
 71961-016LF
 733-134
 733-162
 754199-000
 760-3052
 787-8014-00
 79531-3000
 FCN-360C032-B
 FCN 

 367T-T012/H
 FCN-723D010/2
 80.063.4001.1
 800-90-001-10-001000
 800-90-010-10-002000
 801-43-002-10-013000
 801-43-006-10-002000