


# Han INOX 3A Cover for Female in Housing



| Part number        | 19 44 003 5425                          |
|--------------------|---|
| Specification      | Han INOX 3A Cover for Female in Housing |
| HARTING eCatalogue | https://b2b.harting.com/19440035425     |

Image is for illustration purposes only. Please refer to product description.

#### Identification

| Category                    | Hoods/Housings                |
|-----------------------------|-------------------------------|
| Series of hoods/housings    | Han-INOX <sup>®</sup>         |
| Type of hood/housing        | Protection cover              |
| Description of hood/housing | for bulkhead mounted housings |
|                             | for surface mounted housings  |
|                             | for cable to cable housing    |
|                             | Metal                         |
|                             | With fixing cord              |

#### Version

| Size                 | 3 A   |
|----------------------|---|
| Locking type         | Single locking lever  |
| Field of application | Hoods/housings for harsh environments                                 |
| Details              | for mounted female insert or for mounted Han-Brid <sup>®</sup> insert |

#### Technical characteristics

| Limiting temperature                   | -40 +125 °C   |
|--|---------------|
| Degree of protection acc. to IEC 60529 | IP65<br>IP67  |
| Type rating acc. to UL 50 / UL 50E     | 4<br>4X<br>12 |

#### Material properties

| Material (seal) | NBR |  |
|-----------------|-----|--|
|-----------------|-----|--|



#### Material properties

| RoHS                                 | compliant     |
|--------------------------------------|---------------|
| ELV status                           | compliant     |
| China RoHS                           | e             |
| REACH Annex XVII substances          | Not contained |
| REACH ANNEX XIV substances           | Not contained |
| REACH SVHC substances                | Not contained |
| California Proposition 65 substances | Yes           |
|                                      | Nickel        |
| California Proposition 65 substances | Lead          |
|                                      | Naphthalene   |

### Specifications and approvals

| Approvals | DNV GL   |
|-----------|--|
| UL / CSA  | UL 1977 ECBT2.E235076<br>CSA-C22.2 No. 182.3 ECBT8.E235076 |

#### Commercial data

| Packaging size                 | 1                                      |
|--------------------------------|--|
| Net weight                     | 22.5 g                                 |
| Country of origin              | Germany                                |
| European customs tariff number | 85389099                               |
| eCl@ss                         | 27440208 Cap for industrial connectors |

## **X-ON Electronics**

Largest Supplier of Electrical and Electronic Components

Click to view similar products for Heavy Duty Power Connectors category:

Click to view products by HARTING manufacturer:

Other Similar products are found below:

647757-1 6643411-1 6646058-2 6646137-1 6646138-1 6646479-1 6646608-1 6646786-1 6646940-1 6651091-1 6651525-1 6651529-1 6651788-1 696475-1 73000005059 73000005642 765-15-0080A 765-16-0080B 829992-1 902-77-02113 129-1J AN0024023 E6374G1 e6389g2 157-43GW8 MS3117-14AC 1643543-1 1650540-1 1651811-2 1766260-1 1766282-1 1766966-1 1791340000 NLDFT-3-BL-L-S120-M40A NLDFT-N-W-L-C240-M40B NLS-2-R-C240-M40B NLS-N-W-C240-M40B NPS-3-BL-T6 1986615-1 2-1589900-8 2199314-1 KA8102 9300480317 SBS50BRN#6 29131 29652 1646905-1 1648320-1 1648582-1 1650195-2