



Pushing Performance

## Acces. Special Cable Clamp EMC M40



|                    |   |
|--------------------|---|
| Part number        | 19 62 000 5098  |
| Specification      | Acces. Special Cable Clamp EMC M40  |
| HARTING eCatalogue | <a href="https://b2b.harting.com/19620005098">https://b2b.harting.com/19620005098</a> |

### Identification

|                              |             |
|------------------------------|-------------|
| Category                     | Accessories |
| Type of accessory            | Cable gland |
| Description of the accessory | EMC version |

### Technical characteristics

|  |                 |
|--|-----------------|
| Wrench size                            | 43              |
| Limiting temperature                   | -40 ... +130 °C |
| Degree of protection acc. to IEC 60529 | IP68            |
| Size                                   | M40             |
| Clamping range                         | 20 ... 25 mm    |
| Shielding diameter                     | 15 ... 20 mm    |
| Width across corners                   | 47.3 mm         |

### Material properties

|                                      |  |
|--------------------------------------|--|
| Material (cable glands)              | Metal  |
| RoHS                                 | compliant with exemption                               |
| RoHS exemptions                      | 6(c): Copper alloy containing up to 4 % lead by weight |
| ELV status                           | compliant with exemption                               |
| China RoHS                           | 50   |
| REACH Annex XVII substances          | Not contained  |
| REACH ANNEX XIV substances           | Not contained  |
| REACH SVHC substances                | Yes  |
| REACH SVHC substances                | Lead   |
| California Proposition 65 substances | Yes  |



Pushing Performance

## Material properties

|                                      |             |
|--------------------------------------|-------------|
| California Proposition 65 substances | Nickel      |
|                                      | Lead        |
|                                      | Naphthalene |

## Commercial data

|                                |  |
|--------------------------------|--|
| Packaging size                 | 1                                      |
| Net weight                     | 146.8 g                                |
| Country of origin              | Germany                                |
| European customs tariff number | 84849000                               |
| eCl@ss                         | 27144432 Screwed cable gland (electr.) |

## X-ON Electronics

Largest Supplier of Electrical and Electronic Components

*Click to view similar products for [Heavy Duty Power Connectors](#) category:*

*Click to view products by [HARTING](#) manufacturer:*

Other Similar products are found below :

[647757-1](#) [6643411-1](#) [6646058-2](#) [6646137-1](#) [6646138-1](#) [6646479-1](#) [6646608-1](#) [6646786-1](#) [6646940-1](#) [6651091-1](#) [6651525-1](#) [6651529-1](#)  
[6651788-1](#) [696475-1](#) [73000005059](#) [73000005642](#) [765-15-0080A](#) [765-16-0080B](#) [829992-1](#) [902-77-02113](#) [129-1J](#) [AN0024023](#) [E6374G1](#)  
[e6389g2](#) [157-43GW8](#) [MS3117-14AC](#) [1643543-1](#) [1650540-1](#) [1651811-2](#) [1766260-1](#) [1766282-1](#) [1766966-1](#) [1791340000](#) [NLDFT-3-BL-L-](#)  
[S120-M40A](#) [NLDFT-N-W-L-C240-M40B](#) [NLS-2-R-C240-M40B](#) [NLS-N-W-C240-M40B](#) [NPS-3-BL-T6](#) [1986615-1](#) [2-1589900-8](#) [2199314-1](#)  
[KA8102](#) [9300480317](#) [SBS50BRN#6](#) [29131](#) [29652](#) [1646905-1](#) [1648320-1](#) [1648582-1](#) [1650195-2](#)