
Implified								
Image: Information Image: Information Image: Information Image: Information <td></td> <td>1</td> <td>2</td> <td>3</td> <td></td> <td>4</td> <td>5</td> <td>6</td>		1	2	3		4	5	6
Image: control Use or returns Image: control Image	A	HARTING	preLi	nk® System	-			
For each prove provide the second of the		General information					green	2) m (s) white/ blue orange
Image: province in the province of the state of the s				-coded acc. to IEC 61076-2-101 or	M12 X-coded	acc. to IEC 61076-2-109	brown) ∰ 6 orange white/ brown 8 > ③ white/ orange brown
Juning Ling model, are stading word 31 Some of Beneficial Line 1 each if the Line 200 Junit Line 1 The status 32 Some of Beneficial Line 1 each if the Line 200 Junit Line 1 The status 32 Some of Beneficial Line 2 Fill Line 2 Each area The status 33 Some of Beneficial Line 2 Fill Line 2 Each area The status 34 Some of Beneficial Line 2 Fill Line 2 Fill Line 2 Fill Line 2 11 Some of Beneficial Line 2 Fill Line 2 Fill Line 2 Fill Line 2 11 Some of Beneficial Line 2 Fill Line 2 Fill Line 2 Fill Line 2 11 Some of Beneficial Line 2 Fill Line 2 Fill Line 2 Fill Line 2 11 Some of Beneficial Line 2 Fill Line 2 Fill Line 2 Fill Line 2 11 Some of Some of Beneficial Line 2 Fill Line 2 Fill Line 2 Fill Line 2 11 Some of Some of Beneficial Line 2 Fill Line 2 Fill Line 2 Fill Line 2 Fill Line 2 11 Fill Line 2 Fil		Transmission performance	RJ45/ M12 X-coded acc. to ISO 11801 category 6 / cl		acc. to ISO	11801 category 5 / class D up to 100 MHz	nrel ink® types	
Image: construction of a set or product of the set of	R	Termination technology	Fully shielded, 360° shielding cor preLink® IDC termination acc. to	ntact IEC 60352-4			_ <u></u> ;	
$ \begin{bmatrix} 1 & 1 & 1 & 1 & 1 & 1 & 1 & 1 & 1 & 1$				POE+ (IEEE 802.3af)	4PPOL ILL	L802.3DT	p/n	type
$\frac{1}{2} \frac{1}{2} \frac{1}$					wire diame	ter	· · · · · · · · · · · · · · · · · · ·	
			· · · · · ·					
greet 104 # 22*[1 km series output] greet 104 # 2*[1 km series output] greet 104 # 2*[1 km series output] </td <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td>								
Implementation 93 × 42 / 48 × 30 Implementation 93 × 42 / 48 × 30 × 30 × 30 × 30 × 30 × 30 × 30 × 3					1,3 - 1,6mm	l		
Image: State of the control of the state of the stat				[d]])				· · ·
F Particul read/action to blacks used by the second of the first operation to the second of the first operation							20 82 001 0002	
Collage Proc: 1000 V III pro top how to making over an priority Storage Proc: 1000 V III pro top how to making over an priority Storage Proc: 1000 V III pro top how to making over an priority Storage Proc: 1000 V III pro top how top how top Storage Proc: 1000 V III pro top how top how top how top Storage Proc: 1000 V III pro top how top how top how top how top Storage Proc: 1000 V III pro top how top <td></td> <td>(100 mA max. (DC or 1000 Hz))</td> <td></td> <td></td> <td></td> <td></td> <td>20 82 000 0002</td> <td>preLink® RJ45 HIFF jack w/o preLink block</td>		(100 mA max. (DC or 1000 Hz))					20 82 000 0002	preLink® RJ45 HIFF jack w/o preLink block
C View 1000 (100 + 100 - 1000 + 10000 + 1000 + 1000 + 1000 + 1000 + 1000 + 10000 + 10000 + 10000 + 10000 + 10000 + 10000 + 10000 + 10000 + 10000 + 1000		Insulating resistance between contacts		1	-		20 82 101 0001	preLink® extender
C Material agents or on staterial agents or on staterial agents of CS2 - task 2 is staterial		Voltage Proof		(for 1 min. current leakage max.	2 mA)		20 82 101 0010	preLink® RJ45 plug w/o preLink block
extract carding List Sits - retring or card - retring in the Arrow of the Construction of the Construling of the Construction of the Construction of the Co	С	Mechanical operation with	unmating under electrical load	FO makes for each calacity			20 82 002 0001	Han® 3 A preLink® RJ45 plug insert
Bern is strapping candid - monthal 2024 VPD Decked UW 102 X-code 5.94 Bern is strapping candid - monthal 2024 VPD Decked SW Diggest and product - monthal 2024 VPD Decked SW Bern is strapping candid - monthal 2024 VPD Decked SW Bern is strapping candid - monthal 2024 VPD Decked SW Bern is strapping candid - monthal 2024 VPD Decked SW Bern is strapping candid - monthal 2024 VPD Decked SW Bern is strapping candid - monthal 2024 VPD Decked SW Bern is strapping candid - monthal 2024 VPD Decked SW Bern is strapping candid - monthal 102 X monthal Bern is strapping candid - monthal 102 X monthal Bern is strapping candid - monthal 102 X monthal Bern is strapping candid - monthal 102 X monthal Bern is strapping candid - monthal 102 X monthal Bern is strapping candid - monthal is an evaluation strapping candid 102 X monthal Bern is strapping candid - monthal is an evaluation strapping candid 102 X monthal is a part is the transport of the the transport		electrical load (IEC 60512 – test 9c)	with: 1,2 A / 50 V				20 82 204 0001	Han® PushPull RJ45 plug plastic
Image: 10 are 1 and product 1 and product (SN / Image: Acceler GN / Image:							20 82 104 0001	
Together stage LVX LVX Together stage User frage PLX internation Transmitter Trans				M12 X-coded 0,5kV				
Material Product service Pathog constructions 12 82 005 0000 precised PTI2 conceptor service reserving, 4 pples 0 Numerial 12 82 005 0000 precised PTI2 conceptor serving, 4 pples 0 Numerial Yes 12 82 005 0000 precised PTI2 conceptor serving, 4 pples 0 Numerial Yes 12 82 005 0000 precised PTI2 conceptor serving, 4 pples 0 Numerial Yes 12 82 005 0000 precised PTI2 conceptor serving, 4 pples 0 Numerial Yes 12 82 005 0000 precised PTI2 conceptor serving, 4 pples 0 Numerial Yes 12 82 005 1000 precised PTI2 conceptor serving, 4 pples 0 Numerial Serving Name 12 82 005 1000 precised PTI2 locality, 4 pples 10 82 005 2000 precised PTI2 locality, 4 pples 12 82 005 1000 precised PTI2 locality, 4 pples 10 82 005 2001 precised PTI2 locality, 4 pples 12 82 005 1000 precised PTI2 locality, 4 pples 10 82 005 2001 precised PTI2 locality, 4 pples 12 82 005 1000 precised PTI2 locality, 4 pples 10 82 005 2001 precised PTI2 locality, 4 pples 12 82 005 1000 precised PTI2 locality, 4 pp					20 02 104 0045			
Control to the precise according to DN EC 6652-5 Control and test precises according to DN EC 6652				M12 termination	nrel ink ter	mination		
D 10 10 Reference 10								
Fe for the final data can prove the scale and test procedures according to DN EC 665 2-5 Fe Entrant and test procedures according to DN EC 665 2-5 Entrant and test procedures according to DN EC 665 2-5 Entrant and test procedures according to DN EC 665 2-5 Entrant and test procedures according to DN EC 665 2-5 Entrant barries and control to give public to give publi		UL certification	Yes	1	-		20 82 005 1214	
For high flexible wires (for seample AVG 22/19) or special wire isolation materials an evaluation test for the OE connection is recommended Hereinal Hearinal Rearing diagram act, to IEC 66512-5 fourment carrying capacity) E The carrient carrying capacity is binled by naximal topecature of internal diagram act, to IEC 66512-5 fourment carrying capacity) E The carrient carrying capacity is binled by naximal topecature control and fest procedures according to DIN EC 66512-5 F E Control and fest procedures according to DIN EC 66512-5		RoHS – compliant	Yes				20 82 005 0002	preLink® M12 connector X-coding, 8 poles
D Naterial Paterial Pateri								preLink® connector insert, male, M12 X-coding, 8 poles
For thread Houring material see table prelime* types Contact plaing Contact plaing Plaining contact zone L2Jyn (S6pinch) Au over Ni Derating digram act to EC 6552-5 kurrent carrying tapacty is limited by maximum temperature of materials for inserts and contacts including terminals. The corrent capacity core is valid for continuous, ten minimized correct locaties of contacts is contacts in the set protedures scoreding to DN EC 6552-5 Fe Fe Control and test protedures according to DN EC 6552-5 The corrent capacity core is valid for continuous, ten minimized corrent locaties of contacts in the set protedures according to DN EC 6552-5 Fe Fe Control and test protedures according to DN EC 6552-5 The corrent capacity core is valid for continuous, ten minimized corrent locaties of contacts in the set protedures according to DN EC 6552-5 Fe Control and test protedures according to DN EC 6552-5 Fe Control and test protedures according to DN EC 6552-5 Fe (Direction according to DN EC 6552-5 Fe (Direct		* For high flexible wires (for example AWG 22/19) or special wire isolation materials an evaluation test for the IDC connection is recommended.						preLink® M12 housing, empty
Housing material see table prelimer types Housing material see table prelimer types Central plating Plating contract zone 127µn (S0µnch Au over N Persing daysam act. In EC 40512-5 (current carrying capacity) Derating daysam act. In EC 40512-5 (current carrying capacity) The current carrying capacity is limited by maximum trapperature or materials for insertia and contexts including terminals. The current carrying capacity is limited by maximum trapperature (curter) loaded contacts of comments super all contacts is gover, when simultaneous poer and individual terminals. The current carrying supervise is gover, when simultaneous poer and individual terminals. The current carrying supervise is gover, when simultaneous poer and individual terminals. The current carrying results using the supervise is gover, when simultaneous poer and individual terminals. The current carrying capacity is gover, when simultaneous poer and individual terminals. The current carrying capacity is gover, when simultaneous poer and individual terminals. The current carrying capacity is gover, when simultaneous poer and individual terminals. The current carrying capacity is gover, when simultaneous poer and individual terminals. The current carrying capacity is gover, when simultaneous poer and individual terminals. The current carrying capacity is gover, when simultaneous poer and individual terminals. The current carrying capacity is gover, when simultaneous poer and individual terminals. The current carrying capacity is gover, when simultaneous poer and individual terminals. The current carrying capacity is gover, when simultaneous poer and individual terminals. The current carrying capacity is gover, when simultaneous poer and individual terminals. The current carrying capacity is gover, when simultaneous poer and individual terminals. The current carrying capacity is gover, when any other carrying capacity is gover terminal. The current carrying capacity is gover terminals. The current carrying capacity is gover termination in	D	Material					20.82.005.2001	nrel ink@ M12 rable jark D_roding & noles
Housing naterial see fable prelink* types Entract plating Plating contact zone 1(27µm (50µmch) Au over Ni Derating blagram acc. to EC 6512-5 [current carrying capacity] E The current carrying capacity is limited by maximum temperature of inderetals including terminals. The current carrying capacity is limited by maximum temperature of inderetals including to DIN IEC 60512-5 Image: Control and test procedures actording to DIN IEC 60512-5 F Control and test procedures actording to DIN IEC 60512-5 Scale F The prelink System The prelink System The prelink System								
F Plating contact zone 1.27µm (S0µinch) Au over Ni Derating dagram acc. to EC 66512-5 [current carrying capacity] Image: contact is a contact is contact is not intermative contacts in contact is not intermative is valid for contracts including terminals. Image: contact is not intermative contacts including terminals. The current capacity curve is valid for contracts in contacts in schedular to its schedul		Housing material	see table preLink® types					
E Derating diagram acc. to IEC 60512-5 (current carrying capacity) The current carrying capacity is limited by maximum temperature of materials for inserts and contacts including terminals. The current leaded contacts of contectors when simultaneous power on all contacts including terminals. Control and test procedures according to DN IEC 60512-5 F F F F F F F F F F F F F F F F F F F		Contact plating			-			
E Derating diagram acc. to IEC 60512-5 (current carrying capacity) The current carrying capacity is limited by maximum temperature of materials for inserts and contacts including terminals. The current leaded contacts of contectors when simultaneous power on all contacts including terminals. Control and test procedures according to DN IEC 60512-5 F F F F F F F F F F F F F F F F F F F				-				
E The current carrying capacity is limited by maximum temperature of materials for inserts and contacts including terminals. The current capacity curve is valid for continuous, non interrupted current loaded contacts of connectors when simultaneous power on all contacts is given, without exceeding the maximum temperature. Control and test procedures according to DIN IEC 60512-5 F F		Plating contact zone	1,27μm (50μinch) Au over Ni					
E The current carrying capacity is limited by maximum temperature of materials for inserts and contacts including terminals. The current capacity curve is valid for continuous, non interrying capacity is without exceeding the maximum temperature. Control and test procedures according to DIN IEC 60512-5 F F		Derating diagram acc. to IEC 60512-5 (current carrying ca	pacity)		,			
F	E	The current carrying capacity is limited by maximum temp of materials for inserts and contacts including terminals	perature		1,6			
F		interrupted current loaded contacts of connectors when simultaneous power on all contacts is given, without exc.	eeding		1,2			
F		Control and test procedures according to DIN IEC 60512-:	5		cal Load		All Dim	ensions in mm Scale Free size tol.
F					Electri 9,0			record Created by Inspected by
0 10 20 30 40 50 60 70 80 90 ℃ Temperature [℃] HARTING D-32339 Espelkamp Type DS Number 208								- PD Title
0 10 20 30 40 50 60 70 80 90 °C Temperature [°C] D-32339 Espelkamp Type DS Number 208	F				r		HARTING	, ,
					L. L.	0 10 20 30 40 50 60 70 80 90 ° C		Type DS Number 20820
		1	2	۲		/	5	

	_	1		
	7		8	_
		-		
		-	<u>.</u>	
				A
10/6) - (4) blue	vollow		
		yellow ue orange	(1) IN (X) X (2) RUSS (X) X (X) RAL 6 blue	
			2 DUSTRIA (X) RANG blue	
)	X	(X) ≩ 6 blue (X) (3) white	
	<u>)∞</u> ∫wille/ yi	een x 🤇		
		-		
		•		B
	cable diameter	material	degree protection	
	5 9 mm	zinc die-cas		
llock	5 9 mm	zinc die-cas	IP20	
	5 9 mm	zinc die-cas		
	5 9 mm	zinc die-cas	IP20	-
	5 9 mm	zinc die-cas		
	59mm	zinc die-cas	· IP20	
	5 9 mm	zinc die-cas	IP20	
	59mm	zinc die-cas		
	5 9 mm	plastic	IP 65/67	C
	6.3 8.8 mm	plastic	IP 65/67	
	5 9.5 mm	zinc die-cas	IP 65/67	
	5 9.5 mm	zinc die-cas	IP 65/67	
	5 9.5 mm	zinc die-cas	IP 65/67	+
oles				
	5 9.5 mm	zinc die-cas	IP 65/67	
oles				
	5 9.5 mm	zinc die-cas	IP 65/67	
				D
	5 9.5 mm 5 9.5 mm	zinc die-cas zinc die-cas		
	5 9.5 mm	plastic/metal shi		
				-
				E
		Ref.		1
		Sub.		\dashv
Ьу	Standardisation	Date	State	4
- 1	ROEBEN	2021-09-07	Final Release	
	1		Doc-Key / ECM-Nr.	-
			100571828/UGD/001/H	F
			500000198735 Rev.	_
20000	0000		$H = \frac{1}{1/2}$	
	_			<u> </u>

<u>A</u>3

8



				HARTING	All rights reserved	Created by PREOTU	Inspect PRIESTER	ed by {
					^{Department} EL PD	Title preLink S	vstem	
				HARTING D-32339 Es		<u> </u>	^{lumber} 20	182
					pherkamh		20	02
1	2	3	4	5		6		

						D
3 m=	g Mat.					E
1	3	Ref.				
		Sub.				
ed by	Standardisation ROEBEN	Date 2021-09-07	State Final Relea			
	•	·	100 500	oc-Key / E0 571828/UGD 1000198735	1M-Nr. /001/H	F
8200	00000			• ^{•.} H	Page 2/2	
	7		8			
						Α

B

X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for Modular Connectors / Ethernet Connectors category:

Click to view products by HARTING manufacturer:

Other Similar products are found below :

8949-H88/06BLKA/SN 74441-0010/BKN MP1010RX-1000 MP44RX-1000 PHJ-4P4C-1-V-4 PHP-6P6C-5 GAX-3-66 GAX-8-62 GDCX-PA-66-50 GDCX-PN-64 GDCX-PN-66 GDCX-PN-66-50 GDLX-A-66 GDLX-N-66 GDLX-S-66 GDLX-S-88K GDTX-S-88-50 GDX-PA-1010 GLX-N-1010M-BLK GLX-S-88M-BLK GMX-N-1010 GMX-S-1010 GMX-S-66 GMX-SMT4-N-88 GPX-2-64 GSGX-N-2-88 GSGX-N-4-88 GSX-NS2-88-3.05-50 PT-108A-8C-UL PT-J951-8C PTS-J531-8CS-50UL 1-1775629-2 A-2014-0-4 GWLX-S-88-GR GWLX-S9-88-YG DC-1021-8-WH-6 1300530003 1324640-4 RJ11FTVC2G RJ11FTVC2N RJFTVX2SA1G 132764-001 1413235 MP88X-1000 MPS88RX-5000 MRJR-5481-0F2 E5288-S000K3-L E5908-15A242-L 155302-001 AX100653