

M12-PCB-SMT-2PC-8P-ACOD-F-STR(75)



Part number	21 03 311 2811
Specification	M12-PCB-SMT-2PC-8P-ACOD-F- STR(75)
HARTING eCatalogue	https://b2b.harting.com/21033112811

Image is for illustration purposes only. Please refer to product description.

Identification

Category	Connectors
Series	Circular connectors M12
Element	PCB adapter
Specification	Straight

Version

Termination method	Reflow soldering termination (SMT)
Gender	Female
Shielding	Unshielded
Number of contacts	8
Coding	A-coding
Details	Order housings separately
Pack contents	75 pieces on reel

Technical characteristics

Rated current	2 A
Rated voltage	30 V
Pollution degree	3
Overvoltage category	III
Insulation resistance	>10 ⁸ Ω
Contact resistance	≤10 mΩ
Ambient temperature	-40 +85 °C
Mating cycles	≥100

Page 1 / 2 | Creation date 2022-01-19 | Please note that the data specified here were taken as extracts from the online catalogue. Please refer to the user documentation for the complete and up-to-date information and data. Please also note that the user is responsible for validating functionality, conformity with applicable laws and directives, as well as for the electrical safety in the particular application. HARTING Electronics GmbH | Marienwerderstraße 3 | 32339 Espelkamp | Germany Phone +49 5772 47-97200 | electronics@HARTING.com | www.HARTING.com



Technical characteristics

Isolation group	I (600 ≤ CTI)			
•••				
Material properties				
Material (insert)	Liquid crystal polymer (LCP)			
Material (contacts)	Copper alloy			
Surface (contacts)	Au over Ni Mating side			
Material flammability class acc. to UL 94	V-0			
RoHS	compliant with exemption			
RoHS exemptions	6(c): Copper alloy containing up to 4 % lead by weight			
ELV status	compliant with exemption			
China RoHS	50			
REACH Annex XVII substances	Not contained			
REACH ANNEX XIV substances	Not contained			
REACH SVHC substances	Yes			
REACH SVHC substances	Lead			
ECHA SCIP number	0d7d3693-d625-47ab-934a-d241bf72c86e			
California Proposition 65 substances	Yes			
California Proposition 65 substances	Lead			
Specifications and approvals				
Specifications	IEC 61076-2-101			
Commercial data				
Packaging size	1			
Net weight	716 g			
Country of origin	Germany			
European customs tariff number	85366990			
eCl@ss	27460201 PCB connector (board connector)			

Page 2 / 2 | Creation date 2022-01-19 | Please note that the data specified here were taken as extracts from the online catalogue. Please refer to the user documentation for the complete and up-to-date information and data. Please also note that the user is responsible for validating functionality, conformity with applicable laws and directives, as well as for the electrical safety in the particular application. HARTING Electronics GmbH | Marienwerderstraße 3 | 32339 Espelkamp | Germany Phone +49 5772 47-97200 | electronics@HARTING.com | www.HARTING.com

X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for Circular Metric Connectors category:

Click to view products by HARTING manufacturer:

Other Similar products are found below :

600X518037X6STD15PCR99B70A8R4000A16M0208R5000A16M00512009100021203580030120091000812009100111300140094130203-0054130014002613001500991-3637-600-52051612618210368364148R4006A16M0101R3006A20M00541-4001142-0000642-010154-22279-44-22281-14-22284-943-0011343-0120341-4001342-0000843-0102643-0116243-0117343-10000XS3P-M421-2600X518050X8R5006A16M0208R5006A16M0058R4000A16M0106-22279-31605332N03FA03144130014007743-1621343-01338XS2RD4265XS2R-D426-1XS8A-0441859RD04-103R004860RD04-113R004860RD04-213R0041-213245-2