

# M23\_17P FE,Int-thread,ANG PUR cable,5M



Part number	21 37 360 0F72 050
Specification	M23_17P FE,Int-thread,ANG PUR cable,5M
HARTING eCatalogue	https://b2b.harting.com/21373600F72050

Image is for illustration purposes only. Please refer to product description.

#### Identification

Category	System cabling
Series	Circular connectors M23
Identification	Signal
Element	Cable assemblies
Specification	Pre-assembled on one side
Connector 1	M23 Female Angled
Type of cable	Copper cable (round)
Features	Flame retardancy Oil and UV resistant Highly EMC resistant Halogen freeness

#### Version

Cable length	5 m
Number of cores	17
Core structure	17x AWG 18

#### Technical characteristics

Rated current	9 A
Rated voltage	150 V
Limiting temperature	-40 +80 °C
Degree of protection acc. to IEC 60529	IP67



### Material properties

Material (contacts)	Copper alloy
Surface (contacts)	Silver plated
Material (cable)	PUR (polyurethane)
Colour (cable)	Black
Material (overmoulding)	Thermoplastic polyurethane (TPU)
Colour (overmoulding)	Black

#### Commercial data

Packaging size	1
Country of origin	China
European customs tariff number	85444290
eCl@ss	27060311 Assembled sensor actuator-line

## **X-ON Electronics**

Largest Supplier of Electrical and Electronic Components

Click to view similar products for Sensor Cables / Actuator Cables category:

Click to view products by HARTING manufacturer:

Other Similar products are found below:

60963 60964 703000D02F2002 703000D02F300 703001D02F0602 703001D02F1201 703001D02F300 704000D02F120 MDM21SH001F
773032K02F030 802027107404-1 802027213811-1 804001A09M150 805001A09M0502 84914-0235 84914-0237 885030A09M010
885030A09M020 8R4006A18M010 1200651332 1200651713 1200660844 1200660845 1200661173 1200680071 1200720053
1200720081 1200720099 1200720217 1200800231 1200860125 1200870123 1200980102 1200650298 1200660183 1200660782
1200660849 1200661295 1200661297 1200661342 1200661343 1200670220 1200680331 1200720252 1200720255 1200720597
1200730184 1200860344 1200870359 1200870643