


IEEE1355 CABLING



| | J1 | Wire color | J2 |
|---|-------|------------|-------|
| ✕ | 2-e | Brown | 1-a |
| | 1-e | Blue | 2-a |
| ✕ | 2-d | Red | 1-b |
| | 1-d | Green | 2-b |
| ✕ | 2-c | Black | 2-c |
| | 1-c | White | 1-c |
| ✕ | 2-b | Orange | 1-d |
| | 1-b | Yellow | 2-d |
| ✕ | 2-a | Violet | 1-e |
| | 1-a | Grey | 2-e |
| | Shell | Braid | Shell |

NOTES /

- 1.) MECHANICAL REQUIREMENTS
 - OPERATING TEMPERATURE = -20° TO +80°C
 - MATING CYCLES : 250, PERFORMANCE LEVEL 2 (IEC 60512-5)
- 2.) THE CONNECTOR COMPLIES REQUIREMENT : IEC 61076-4-107
- 3.) WHITE LABEL INFORMATION:

DATE CODE & LOT INFORMATION
 HARTING P/N
- 4.) CABLE MUST BE PERFORMED HI-POT TEST AND CONTINUITY TEST

| 33 27 243 500 0018 | 5 m | | | | | | | | | | | | | | | | | | | |
|--|---|---|-----------------------|--|-------|----------------------|--|------------------------|------|---|-----------------------|------|------|---|--|--------|--|--|---|--|
| 33 27 243 200 0017 | 2 m | | | | | | | | | | | | | | | | | | | |
| 33 27 243 100 0016 | 1 m | | | | | | | | | | | | | | | | | | | |
| 33 27 243 050 0015 | 0.5 m | | | | | | | | | | | | | | | | | | | |
| <i>Part-No.</i> | <i>Dim. L</i> | | | | | | | | | | | | | | | | | | | |
| All Dimensions in mm Original Size MM A 3 | <table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th colspan="3">Techn. Character.</th> <th rowspan="4" style="text-align: center;">Scale</th> <th rowspan="4" style="text-align: center;">Free size tolerances</th> </tr> <tr> <td></td> <td style="text-align: center;">Dat.</td> <td style="text-align: center;">Name</td> </tr> </thead> <tbody> <tr> <td style="text-align: center;">Detail.</td> <td style="text-align: center;">06.05.08</td> <td style="text-align: center;">J.S.</td> </tr> <tr> <td style="text-align: center;">Imp.</td> <td></td> <td></td> </tr> <tr> <td style="text-align: center;">Stand.</td> <td></td> <td></td> <td style="text-align: center;">/</td> <td style="text-align: center;">Har-link male DE IEEE1355 cabling double shielded cable assembly, **m</td> </tr> </tbody> </table> | Techn. Character. | | | Scale | Free size tolerances | | Dat. | Name | Detail. | 06.05.08 | J.S. | Imp. | | | Stand. | | | / | Har-link male DE IEEE1355 cabling double shielded cable assembly, **m |
| Techn. Character. | | | Scale | Free size tolerances | | | | | | | | | | | | | | | | |
| | Dat. | Name | | | | | | | | | | | | | | | | | | |
| Detail. | 06.05.08 | J.S. | | | | | | | | | | | | | | | | | | |
| Imp. | | | | | | | | | | | | | | | | | | | | |
| Stand. | | | / | Har-link male DE IEEE1355 cabling double shielded cable assembly, **m | | | | | | | | | | | | | | | | |
| <table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th>Mod.</th> <th>Dat.</th> <th>Name</th> </tr> </thead> <tbody> <tr> <td> </td> <td> </td> <td> </td> </tr> </tbody> </table> | Mod. | Dat. | Name | | | | <table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <td style="text-align: center;">ZHANAI HARTING LIMITED</td> <td style="text-align: center;"> </td> <td style="text-align: center;"> <table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <td style="width: 80%; text-align: center;">TB 33 27 24x xxx 00xx</td> <td style="width: 20%; text-align: center;">Page</td> </tr> <tr> <td style="text-align: center;">Sub.</td> <td style="text-align: center;">/</td> </tr> </table> </td> </tr> </table> | ZHANAI HARTING LIMITED | | <table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <td style="width: 80%; text-align: center;">TB 33 27 24x xxx 00xx</td> <td style="width: 20%; text-align: center;">Page</td> </tr> <tr> <td style="text-align: center;">Sub.</td> <td style="text-align: center;">/</td> </tr> </table> | TB 33 27 24x xxx 00xx | Page | Sub. | / | | | | | | |
| Mod. | Dat. | Name | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | |
| ZHANAI HARTING LIMITED | | <table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <td style="width: 80%; text-align: center;">TB 33 27 24x xxx 00xx</td> <td style="width: 20%; text-align: center;">Page</td> </tr> <tr> <td style="text-align: center;">Sub.</td> <td style="text-align: center;">/</td> </tr> </table> | TB 33 27 24x xxx 00xx | Page | Sub. | / | | | | | | | | | | | | | | |
| TB 33 27 24x xxx 00xx | Page | | | | | | | | | | | | | | | | | | | |
| Sub. | / | | | | | | | | | | | | | | | | | | | |

All rights reserved

X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for [Specialised Cables category](#):

Click to view products by [HARTING manufacturer](#):

Other Similar products are found below :

[603PT6](#) [603SS6L](#) [604PT6](#) [604SS6](#) [706000D02F200](#) [910640](#) [1200740077](#) [1200740114](#) [AC172](#) [ACL-SSI-4](#) [R88ACAKA0015SRE](#)
[R88ACAWL005SDE](#) [R88ACRGD0R3C](#) [1300150047](#) [1300660036](#) [1302262116](#) [1300150149](#) [1300220020](#) [1300220104](#) [1300220119](#)
[1301240492](#) [1301810221](#) [1365323-1](#) [176P12](#) [1971465-2](#) [20240400003](#) [20240400013](#) [2085828-1](#) [20886510030](#) [2-22733-8](#) [22733-8](#) [CB-](#)
[5PSBC-RS](#) [CB-704EC-RS](#) [CB-BATACC-RS](#) [CB-JST3PSW-RS](#) [CB-M12COM-R10](#) [25AC84](#) [25AK84X](#) [25AU25](#) [25FN82](#) [3011-03](#) [AC118](#)
[ACL-HHS-1M\(CAT5E\)](#) [SSL009PC2DC012N](#) [FC2A-KC6C](#) [2085828-2](#) [20886510150](#) [CCS-FCB-5](#) [CCSF CBF2](#) [R88A-CRWB020N](#)