

HYBRID CABLE 2xFO MM,10M,RING



Part number	33 57 851 0100 002
Specification	HYBRID CABLE 2xFO MM,10M,RING
HARTING eCatalogue	https://b2b.harting.com/33578510100002

Image is for illustration purposes only. Please refer to product description.

Identification

Category	System cabling
Element	Bulk cables
Specification	Not assembled
Type of cable	Hybrid cable (copper/FO)
Description of the cable	Multimode

Version

Cable length	10 m
Core structure	2x G50 / 125 μm
	3x 2.5 mm²

Technical characteristics

Cable diameter	12.6 mm
Minimum bending radius	10x Cable diameter (repeated bending)
	5x Cable diameter (singular bending)

Material properties

Material (cable)	PVC
Colour (cable)	Black
RoHS	compliant with exemption
RoHS exemptions	6(c): Copper alloy containing up to 4 % lead by weight
ELV status	compliant with exemption
China RoHS	50
REACH Annex XVII substances	Not contained



Material properties

REACH ANNEX XIV substances	Not contained
REACH SVHC substances	Yes
REACH SVHC substances	Lead
California Proposition 65 substances	Yes
California Proposition 65 substances	Lead

Commercial data

Packaging size	1
Net weight	2,200 g
Net weight	217 g/m
Country of origin	Germany
European customs tariff number	85444995
eCl@ss	27060501 Hybrid cable

X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for Fibre Optic Cable Assemblies category:

Click to view products by HARTING manufacturer:

Other Similar products are found below:

7-21002-9 760-1518 FA04390-50-M-72-LC-N MLB 501 V RED MLB 501 V YELLOW 1-3636-600-5208 2061529-7 1-6693182-0
1754898-1 21055-6 FXBSCSCE2LM002 3-21053-2 MLB 200/1 V BLACK MLB 2001 V RED MLB 2001 V YELLOW MLB 501 V
BLACK 5492011-6 106284-7000 5492011-5 5492011-8 5492011-9 8-21007-5 2123524-2 2123524-1 106386-4447 DFSM-SCSC-2M
2123909-4 2123909-8 106273-0629 2125046-1 2821236-3 2821310-2 2821310-3 2821313-4 FX2ERLNLNSNM0.5 CF-980062-074 CF-901200-394 CF-980062-073 CF-980062-071 CF-980062-075 CF-980062-072 17-300310-100 2821236-2 2821313-1 G-FC-FC-S-002.0-DX-A-18-Y G-E2A-E2A-S-003.0-SX-A-18-Y 956-322-502214 FA04474 1111540 1111843