


Rotary Code Switch

P36SMT 1 03 TR

SMT Gull Wing Surface Mount Technology



Mechanical Data

Type	horizontal
Fixation mode	SMT
Height	3.85mm
Length	7.4mm
Width	7,4mm
Pin connection	3+3
Perm. ambient temperature	-50...+125°C
Perm. storage temperature	-55...+135°C
Torque	1.2±0.2Ncm
Mech. lifetime	25 000 steps
Positions per rotation	10,16, more versions on request
Degree of protection	comparable IP67
Sealing	O-Ring
Humidity	21 days at 40°C, 93%RH
Sinus-vibration testing	acc. IEC 68-2-6
Frequency range	10...500...10Hz, sliding
Amplitude	6mm
Acceleration	10g
Shock testing	acc. IEC 68-2-27
Shock acceleration amplitude	50g
Duration of nominal shock	11ms
Directions	6 (±x, ±y, ±z)3 times each
Reflow soldering	10s/260°C
Iron soldering	4s/350°C

Electrical Data

Operating voltage	≤ 42V
Contact load, static	≤ 0.4A
Contact load, dynamic	≤ 0.1A
Minimum load	1μA20mVDC
Test voltage	250V 50Hz/1min
Contact resistance	< 80mOhm
Insulation resistance	> 100MOhm

- solid PCB pins
- contacts with abrasion resistant hard gold plating
- lateral C-contact
- extra sealed design with high temperature resistance
- switches are solder and flux sealed and washable
- 100% electronic inspection and testing
- 90° turned zero position available



HARTMANN

Configuration

Actuators



Arrow-shaped slot


Codes

**Hexadezimal
Typ 03**

	C	1	2	4	8	
0	●					0
1	●	●				●
2	●		●			2
3	●	●	●			●
4	●			●		4
5	●	●		●		●
6	●		●	●		6
7	●	●	●	●		●
8	●				●	8
9	●	●			●	●
10	●		●		●	A
11	●	●	●		●	●
12	●			●	●	C
13	●	●		●	●	●
14	●		●	●	●	E
15	●	●	●	●	●	●

Packing

Hexadecimal, 16



Tape & Reel Packing

X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for [DIP Switches/SIP Switches](#) category:

Click to view products by [Hartmann](#) manufacturer:

Other Similar products are found below :

[78M03S](#) [79B10T](#) [8136-475G4T](#) [G7G-1A2-CB-DC12](#) [A7SS-M](#) [DBP 2110](#) [DBP 2112](#) [DBS1008](#) [DHN02FTVTR](#) [DHN10T](#) [DHS108](#)
[DPL08TN](#) [DRD16CSE04](#) [DRR4010](#) [DRR60016](#) [DRS4016](#) [BD06E](#) [1825008-1](#) [1825444-1](#) [25.350.0653.0](#) [LA2-DC12](#) [SBS 5004 TG](#)
[SDA10H1BDA](#) [97R06ST](#) [A2C-2A5](#) [1825444-7](#) [ADE08SA04](#) [ADE12S04](#) [2161391-1](#) [2-1825058-8](#) [CCVA 2.5/ 4-G-5.08](#) [P26THRR32](#)
[25.330.0653.1](#) [25.352.0353.0](#) [MDG305ST](#) [IKN0600000](#) [IKN0800000](#) [LA2-002-DC24](#) [DBP2008](#) [DBS1003](#) [DBS2008](#) [438872000](#)
[DRD10CRAE04](#) [DRS1604](#) [DSR02T](#) [DSS 208 N](#) [5-1825033-1](#) [106-SDN06-EV](#) [1-1437507-6](#) [E2FMX2D1M1TGJ03M](#)
[E3ZMCT81M1TJ03M](#)