


RECOMMENDED PCB LAYOUT



SPECIFICATIONS:

MATERIAL:-

INSULATOR: LCP, UL94V-0 BLACK

CONTACT: PHOSPHOR BRONZE

SHELL: BRASS

FINISH:-

CONTACT: GOLD ON CONTACT, TIN ON SOLDER TAIL

SHELL: NICKEL PLATED

ELECTRICAL:-

CURRENT RATING: 1 AMP

DIELECTRIC WITHSTANDING VOLTAGE: 100V AC/MINUTE

CONTACT RESISTANCE: 50 mΩ MAX.

INSULATION RESISTANCE: 100 MΩ MIN.

ENVIRONMENTAL:-

OPERATING TEMPERATURE: $-55^{\circ}\text{C} \sim +105^{\circ}\text{C}$

NOTES: ALL DIMENSIONS AND NOTES
MARKED * ARE CRITICAL AND
MUST BE CHECKED IN ACCORDANCE
WITH QUALITY DOC. QI-02A

Leo	4	02.04.12	A375
Allan	3	27.09.06	A223
Allan	2	06.09.06	CN8001
Allan	1	01.08.06	-

NAME	ISS.	DATE	C/NOTE
------	------	------	--------

APPROVED: T.L

CHECKED: Leo

DRAWN: Leo

CUSTOMER REF.:

ASSEMBLY DRG:

NOTE: ADD 'R' TO CODE FOR T & R PACKAGING
EG: M701-340542R

HARWIN

HARWIN USA
TEL: 603 893 5376
FAX: 603 893 5396
mis@harwin.com

HARWIN Europe (UK)
TEL: 023 9231 4545
FAX: 023 9231 4590
mis@harwin.co.uk

HARWIN Asia
TEL: +65 6 779 4909
FAX: +65 6 779 3868
mis@harwin.com.sg

THIS DRAWING AND ANY
INFORMATION OR DESCRIPTIVE
MATTER SET OUT HEREON ARE
CONFIDENTIAL AND COPYRIGHT
PROPERTY OF THE HARWIN
GROUP AND MUST NOT BE
DISCLOSED, LOANED, COPIED
OR USED FOR MANUFACTURING,
TENDERING OR FOR ANY
OTHER PURPOSE WITHOUT
THEIR WRITTEN PERMISSION.

TOLERANCES
X.X = $\pm 0.25\text{mm}$
X.XX = $\pm 0.20\text{mm}$
X.XXX = $\pm 0.10\text{mm}$
ANGLES = $\pm 1^{\circ}$

MATERIAL:
SEE NOTES

FINISH: SEE NOTES

S/AREA: mm?

TITLE:
MINI USB B FEMALE TYPE
R/A SMD TYPE 5 PINS

DRAWING NUMBER:
M701-340542

SHT
1
OF
1

X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for [USB Connectors](#) category:

Click to view products by [Harwin](#) manufacturer:

Other Similar products are found below :

[65-647-8-BK-BU](#) [950](#) [E8144-B01021-L](#) [A-USB A-LP-SMT-C](#) [A-USB B-TOP-C](#) [MUSBA511N5](#) [MUSBD11135](#) [217450-1](#) [CA 6 W LD](#)
[KMBVX-TH-5S-B30](#) [896-30-004-00-000000](#) [KUSBVX-BS1N-W30](#) [KUSBX-AP-KIT-SCBLK](#) [KUSBX-AS2N-W](#) [KUSBX-SMT2AP1S-W](#)
[KUSBX-SMT2AP1S-W30](#) [935](#) [957](#) [30-498-6](#) [17-210051](#) [1734082-1](#) [30-1574](#) [30-470](#) [30-489](#) [30-541](#) [30-572-3](#) [MAB 8 SN V](#) [A-USB A-](#)
[2P-C](#) [MIKROE-1451](#) [USBFTV2PEM2G](#) [USBFTVC6ZN](#) [KUSBX-AS2N-W30](#) [KUSBX-SLAS1N-W](#) [KUSBX-SMT-AS1N-W30](#) [4689-1](#) [1-](#)
[1734084-2](#) [E8110-001-01](#) [MUSBA81130](#) [33UBARS1-04SW11](#) [33UBAR-04SW11](#) [USBF21ZNSCC](#) [USBBFTV6ZC](#) [10135326-001LF](#)
[M9177/3-1](#) [USB-A-S-F-B-VT](#) [925](#) [4198](#) [690-024-633-031](#) [KUSBEX-BSFS1N-W](#) [USBFTVC6MRG](#)