

Specification Sheet

Part Number: RJ45FC6-W



Category 6 Modular Keystone Jack, Plenum Rated, White, 1/pkg

Article Number

852-25081

Type

RJ45FC6-W

Color

White (WH)

Features & Benefits

- Category 6 jack has been uniquely designed adopting HellermannTyton's globally tried and tested 10-Pin technology which guarantees superior performance and connectivity.
- Standard keystone style interface provides flexibility in connecting components.
- Unique strain relief design secures cable terminations.
- Configured to both TIA 568A and 568B wiring schemes for installation versatility.
- Suitable for air handling spaces, ideal for installation of WAPs and IP devices.

Quantity Per

bag

Product Description	HellermannTyton's GigaBand flush Category 6 modular jack is designed to “future-proof” installations. Its patented design uses innovative crosstalk-cancellation technology. The performance of the GigaBand system provides significant margin over TIA Category 6 (ANSI/TIA-568-C.1) and ISO Class E (ISO/IEC-11801, 2nd edition) requirements. The GigaBand system will easily support applications such as Gigabit Ethernet. ETL tested and approved for Category 6 component compliance.
Short Description	Category 6 Modular Keystone Jack, Plenum Rated, White, 1/pkg
Global Part Name	RJ45FC6-W
Technical Description	The performance of the Cat6 system provides significant margin over TIA Cat6 and ISO/IEC 11801 requirements.
Port Count	1
Width W (Imperial)	10.75
Width W (Metric)	19.0
Height H (Imperial)	10.91
Height H (Metric)	23.0
Depth D (imperial)	1.65
Depth D (metric)	42.0
UL Listed (US and Canada)	Yes

UL Listed (US)	Yes
Package Quantity(Imperial)	1
Package Quantity (Metric)	1
Customs Number	8536695050
Weight (Metric)	0.010

X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for [Hellermann](#) manufacturer:

Other Similar products are found below :

[T18RPOCKETPAC](#) [380-03003](#) [406064A](#) [TSR1I-21](#) [TSR1I-29](#) [TSR1I-33](#) [TSR1I-36](#) [105-4JW8](#) [MS3109-12AU](#) [Q30LR-PA66-BK-C1](#) [Q18I-PA66-NA-C1](#) [Q18R-PA66-NA-C1](#) [CTQM5-PA66-BK-C1](#) [308-10600](#) [T50IDH0C2](#) [AS25](#) [T18MR-NAT\(100 PACK\)](#) [T120L.NN2P](#) [MK7.9A](#) [181-50840](#) [621-10405](#) [TWT2](#) [G51P-A-PE-NA](#) [E4500](#) [GT.50X66P2](#) [TSRI-JB2](#) [111-01626](#) [SBS4 NATURAL](#) [SBPEFR4-PE-BK-30M](#) [308-30421](#) [309-65129](#) [309-65213](#) [309-65298](#) [309-65164](#) [HIS-3-9/3-PEX-BU](#) [HIS-3 6/2 BRN](#) [HGDC1-3CC/7](#) [HEGPA6612 GREY](#) [T50RS5.NB3P](#) [T150M-NAT](#) [HG1-3](#) [HIS-3 3/1 BLU](#) [HGDC2-5BW/N](#) [HGDC2-5BW/L](#) [TSR1I-25](#) [RSB3](#) [RT250XL9X2](#) [SLHD3X2G4](#) [SFC3-NAT\(100 PACK\)](#) [182-69000](#)