

Specification Sheet

Part Number: 110-70083

Advanced TLC technology provides operational reliability and durability resulting in fewer repairs and an extended lifespan.

Lightweight tool with the most technologically advanced ergonomic design for reducing work-related risks such as fatigue and injury that effect productivity.

Tension dial offers 33 precise, easy-to-read settings (with ¼" increments) that reduce subjectivity or the need for fine tuning.

Tension lock-in mechanism prevents operator from changing tension setting during critical applications.



EVO 7 Mechanical Hand Tool, Standard hand span 3.5", 1/pkg

Article Number 110-70083

Type EVO7

Color Black (BK)

Quantity Per EA

Product Description	HellermannTyton's EVO 7 mechanical hand tool is ergonomically designed to reduce the risks of repetitive stress injuries to operators while simultaneously increasing productivity. The EVO 7 Tension/Lock/Cut Technology delivers performance, safety and comfort for operators. Available in a standard grip span (EVO 7) or short grip span (EVO 7SP) for smaller hands. Additional accessories are available.
Short Description	EVO 7 Mechanical Hand Tool, Standard hand span 3.5", 1/pkg
Global Part Name	EVO7-MET/PL-BK
Technical Description	Standard Hand Span 3.5" (90mm)
Cable Ties	T18, T30, T40, T50, T80, IT18, IT50
Tension Setting Tools	Adjustable
Cable Tie Width Max (Imperial)	0.19
Material	Metal (MET) Plastic (PL)
Material Shortcut	PL MET
US MIL SPEC	SAE-AS90387 MS90387-1
Reach Compliant (Article 33)	Yes
ROHS Compliant	Yes

Certification/Specification

CAGE Code 53421

Package Quantity (Imperial)

1

Package Quantity (Metric)

1

Customs Number

8205599000

© 2022 HellermannTyton. All Rights Reserved.

[Contact Us](#)

[RoHS/WEEE Compliance](#)

[Disclaimer](#)

[Terms and Conditions](#)

X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for [Cable Ties](#) category:

Click to view products by [HellermannTyton](#) manufacturer:

Other Similar products are found below :

[65034-C](#) [65037-C](#) [770-1751-10](#) [REL50L0C2](#) [20093-0](#) [SF600-120X](#) [SJ-3463](#) [SJ3518FR-1x50](#) [SJ3526N-Beige-2"x50yd](#) [SJ3526N BLACK](#)
[58" X 50YD](#) [SJ3571](#) [SJ-3571-1"x50yd-Black](#) [PLT2S-C4](#) [34-455-C](#) [3722](#) [561-B110120](#) [561-N3510](#) [TYZ528M](#) [34-463-C](#) [URT20S-M](#)
[06226](#) [08350-0](#) [08600-0](#) [08376-0](#) [10036-0](#) [10037-0](#) [10325-0](#) [10362-0](#) [10606-0](#) [561-EZ250](#) [561-EZ625](#) [SJ3527N-Beige-2"x50yd](#) [SJ3527N-](#)
[LOOP-BLACK-1](#) [SJ3572-2"x50yd-Black](#) [CF5625-000](#) [V03HK](#) [65004-C](#) [65005-C](#) [65007-C](#) [65036-C](#) [157-00039](#) [770-1708](#) [770-1753-10](#)
[65035-C](#) [770-1752](#) [SPNY-041-9](#) [SF400-120X](#) [3719](#) [08582-0](#) [08386-0](#)