

How did we make the best even better?

MADE FOR REAL 



By listening to customers.

Easy Blade Replacement Oneway installation makes on-site replacement a snap. Blade is backward compatible with EVO 7.

Side Tie Entry Permits easy tie insertion to finish faster.

+ Extended Nose Easily tension and cut cable ties in cramped spaces.

+ Trigger Perfectly contoured, full-length design – choose between small and standard hand sizes. Improved design further reduces potential for slippage.

+ Enhanced Industrial Design Durable composite housing survives drops and chemicals in the toughest environments. Upgraded components for improved reliability.

+ Lock-out Lever Prevents inadvertent change of tension setting. Sleeker profile allows tool to pass through wires without catching.



+ Hanger Hook For adding a wrist strap or hanging on tool wall. More robust design borrowed from the heavier duty EVO 9.

Tension Knob Provides 33 micro-increments to fine tune tensioning, for industry-leading precision. Factory-calibrated tensioning assures consistent wire bundle tension from tool to tool for dependable accuracy.

+ Ergonomically Engineered Handle Two-shot, soft-grip material conforms to operator's hand for maximum comfort without fatigue. Improved to reduce slippage.

Exclusive Ergonomic Features Patented Tension-Lock-Cut function eliminates tool kick-back. Proven ergonomic design helps reduce repetitive hand stress. Lightest tool on the market.

+ Improved feature



Over a million reasons it's still the best

The "i" in EVO 7i stands for industrial. With enhanced features for extended performance, HellermannTyton continues to deliver the tools preferred by manufacturers.

- Tested to over one million cycles, for unparalleled performance
- Factory-calibrated tensioning provides consistently reliable results for demanding applications
- Short and standard span for different sized hands, as opposed to a one-size approach
- Customer serviceable blade and nosepiece – backward compatible with EVO 7
- 12 months warranty included

EVO 7i Compared to EVO 7		
FEATURE	EVO 7i	EVO 7
TLC (Tension-Lock-Cut) – no kick-back	✓	✓
Industry-leading 33 tension settings	✓	✓
Easy, on-site blade replacement	✓	✓
Lightweight, composite body	✓	✓
Passes industrial-grade drop test	✓	✓
Short and standard hand span	✓	✓
1,000,000+ cycle rating	✓	✓
1-year warranty	✓	✓
Snag-free lock-out lever	✓	
Two-shot comfort grip	✓	
Industrial hanger hook	✓	
More durable trigger boot	✓	

X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for [Crimpers / Crimping Tools](#) category:

Click to view products by [HellermannTyton](#) manufacturer:

Other Similar products are found below :

[010-0096](#) [M225201-06](#) [M225202-37](#) [6-1579015-5](#) [CT150-2-D02](#) [CT150-6-RH07](#) [622-6441LF](#) [M322](#) [6-304052-1](#) [63456-0054](#) [63484-3701](#)
[63800-8355](#) [63819-1875](#) [63819-2875](#) [63819-4475](#) [63823-3475](#) [63827-5375](#) [64001-0975](#) [64001-4175](#) [64005-0175](#) [662903-2](#) [690602-6](#) [7-](#)
[1579001-9](#) [7-23471-1](#) [762637-1](#) [808714-1](#) [811242-5](#) [91362-1](#) [999-50-020083](#) [1-21002-3](#) [1-21002-7](#) [12085270](#) [1-21002-6](#) [1-21113-6](#) [1-](#)
[22548-4](#) [125442-1](#) [DCE.91.073.BVC](#) [DCE.91.090.3MVM](#) [DCE.91.130.5MVU](#) [DCE.91.202.BVCM](#) [1338300-1](#) [1-354003-0](#) [1338301-1](#)
[142321](#) [AP105-DF11-2428S\(64\)](#) [1456088-1](#) [1490794-1](#) [1-45804-6](#) [1490357-2](#) [1490357-3](#)