

Specification Sheet

Part Number: 126-00036



Edge Clip applies easily to plastic and metal sheets without the need for a mounting hole.

Edge Clip provides low insertion force and high extraction force ideal for assembly environments.

Cable tie is outside serrated to reduce bundle chafing.

1-Piece Cable Tie & Edge Clip, 8" Long, EC34, Panel Thickness .04"-.12", 50 lbs, PA66HS, Black, 500/bag

Article Number 126-00036

Type T50SOSEC34E

Color Black (BK)

Quantity Per bag

Product Description HellermannTyton's Cable Tie with Edge Clip is designed to route

bundles by securing them to the edge of a plastic or metal sheet without the need for a mounting hole. The clip is easy to secure, and the extraction force is high due to the integrated metal clamp that holds the edge clip in place. This fastener is molded as a one-piece

clip and tie combination.

Short Description 1-Piece Cable Tie & Edge Clip, 8" Long, EC34, Panel Thickness

.04"-.12", 50 lbs, PA66HS, Black, 500/bag

Minimum Tensile Strength (Imperial)	40.0
Minimum Tensile Strength (Metric)	180.0
Length L (Imperial)	6.0
Length L (Metric)	155.0
Fixation Method	Edge Clips
Identification Plate Position	none
Releasable Closure	No
Tie Closure	plastic pawl
Variant	Outside Serrated
Width W (Imperial)	0.18
Width W (Metric)	4.6
Bundle Diameter Min (Imperial)	0.04
Bundle Diameter Min (Metric)	1.0
Bundle Diameter Max (Imperial)	1.4

35.0

Bundle Diameter Max (Metric)

Height H (Imperial)	0.06	
Height H (Metric)	1.35	
Panel Thickness Min (Imperial)	0.039	
Panel Thickness Max (Imperial)	0.12	
Panel Thickness Min (Metric)	1.0	
Panel Thickness Max (Metric)	3.0	
Material	Polyamide 6.6 heat stabilized (PA66HS)	
Material Shortcut	PA66HS	
Material Shortcut Flammability	PA66HS UL 94 V-2	
Flammability	UL 94 V-2	
Flammability Operating Temperature	UL 94 V-2 -40°F to +221°F (-40°C to +105°C)	
Flammability Operating Temperature Reach Compliant (Article 33)	UL 94 V-2 -40°F to +221°F (-40°C to +105°C) Yes	
Flammability Operating Temperature Reach Compliant (Article 33)	UL 94 V-2 -40°F to +221°F (-40°C to +105°C) Yes	

Customs Number	3926	5909988		
© 2022 HellermannTyton. All Rights Reso		RoHS/WEEE Compliance	Disclaimer	Terms and Conditions

X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for Cable Ties category:

Click to view products by HellermannTyton manufacturer:

Other Similar products are found below:

65034-C 65037-C 770-1751-10 REL50L0C2 20093-0 SF600-120X SJ-3463 SJ3518FR-1x50 SJ3526N-Beige-2"x50yd SJ3526N BLACK
58" X 50YD SJ3571 SJ-3571-1"x50yd-Black PLT2S-C4 34-455-C 3722 561-B110120 561-N3510 TYZ528M 34-463-C URT20S-M
06226 08350-0 08600-0 08376-0 10036-0 10037-0 10325-0 10362-0 10606-0 561-EZ250 561-EZ625 SJ3527N-Beige-2"x50yd SJ3527NLOOP-BLACK-1 SJ3572-2"x50yd-Black CF5625-000 V03HK 65004-C 65005-C 65007-C 65036-C 157-00039 770-1708 770-1753-10
65035-C 770-1752 SPNY-041-9 SF400-120X 3719 08582-0 08386-0