

## Specification Sheet

Part Number: 148-00200



Edge Clip applies easily to plastic and metal sheets without the need for a mounting hole.

Edge Clip provides low insertion force and high extraction force ideal for assembly environments.

Cable tie is outside serrated to reduce bundle chafing.

1-Piece Cable Tie & Edge Clip, 8" Long, EC12, Panel Thickness .04"-.12", 50 lbs, PA66HS, Black, 500/bag

<b>Article Number</b>	148-00200
<b>Type</b>	T50SOSEC12E
<b>Color</b>	Black (BK)
<b>Quantity Per</b>	bag
<b>Product Description</b>	The cable tie and edge clip assembly is ideal for use where holes are not acceptable or where adhesives will fail due to temperature problems. Edge clips are widely used for fixing and bundling cables and wires within automotive, trucking, heavy equipment, solar panel, wind power, and white goods equipment manufacturing.
<b>Short Description</b>	1-Piece Cable Tie & Edge Clip, 8" Long, EC12, Panel Thickness .04"-.12", 50 lbs, PA66HS, Black, 500/bag

**Global Part Name** T50SOSEC12E-PA66HS-BK

**Minimum Tensile Strength (Imperial)** 40.0

**Minimum Tensile Strength (Metric)** 180.0

**Length L (Imperial)** 6.0

**Length L (Metric)** 160.0

**Fixation Method** Edge Clips

**Identification Plate Position** none

**Releasable Closure** No

**Tie Closure** plastic pawl

**Variant** Outside Serrated

**Width W (Imperial)** 0.18

**Width W (Metric)** 4.6

**Bundle Diameter Min (Imperial)** 0.04

**Bundle Diameter Min (Metric)** 1.0

**Bundle Diameter Max (Imperial)** 1.40

**Bundle Diameter Max (Metric)** 35.0

**Thickness T (Imperial)** 0.05

**Thickness T (Metric)** 1.35

**Height H (Imperial)** 0.06

**Height H (Metric)** 1.35

**Panel Thickness Min (Imperial)** 0.039

**Panel Thickness Max (Imperial)** 0.12

**Panel Thickness Min (Metric)** 1.0

**Panel Thickness Max (Metric)** 3.0

**Material** Polyamide 6.6 heat stabilized (PA66HS)

**Material Shortcut** PA66HS

**Flammability** UL 94 V-2

**Operating Temperature** -40°F to +221°F (-40°C to +105°C)

**Reach Compliant (Article 33)** Yes

**ROHS Compliant** Yes

**Package Quantity (Imperial)** 500

**Package Quantity (Metric)** 500

**Customs Number** 3926909988

## X-ON Electronics

Largest Supplier of Electrical and Electronic Components

*Click to view similar products for [Cable Ties](#) category:*

*Click to view products by [HellermannTyton](#) manufacturer:*

Other Similar products are found below :

[65034-C](#) [65037-C](#) [770-1751-10](#) [REL50L0C2](#) [20093-0](#) [SF600-120X](#) [SJ3518FR-1x50](#) [SJ3526N-Beige-2"x50yd](#) [SJ3526N BLACK 58" X 50YD](#) [SJ3571](#) [SJ-3571-1"x50yd-Black](#) [PLT2S-C4](#) [34-455-C](#) [3722](#) [561-B110120](#) [561-N3510](#) [TYZ528M](#) [34-463-C](#) [URT20S-M](#) [06226](#) [08350-0](#) [08600-0](#) [08376-0](#) [10325-0](#) [10362-0](#) [10606-0](#) [561-EZ250](#) [561-EZ625](#) [SJ3527N-Beige-2"x50yd](#) [SJ3527N-LOOP-BLACK-1](#) [SJ3572-2"x50yd-Black](#) [CF5625-000](#) [V03HK](#) [65004-C](#) [65005-C](#) [65007-C](#) [65036-C](#) [157-00039](#) [770-1708](#) [770-1753-10](#) [65035-C](#) [770-1752](#) [SPNY-041-9](#) [SF400-120X](#) [3719](#) [08582-0](#) [08386-0](#) [10431-0](#) [08359-0](#) [10620-0](#)