HellermannTyton

Specification Sheet

Part Number: 151-01565

Two-piece ratcheting wedge design allows for easy, positive-locking size adjustment.

Peel and stick 3M[™] VHB[™] adhesive inside clip increases grip and enables one-hand installation.

Heat-stabilized, glass-filled PA66 assembly delivers remarkable extraction force without drilling.

Three sizes cover a wide range of mounting thicknesses, reducing part inventory.

4-way, wide slot accommodates our heavy-duty and Wide-Strap Series Cable Ties.



Wedge Clip, 0.0"-0.20" Panel Thickness, PA66HSGF, Black/Green, 200/bag

Article Number 151-01565

Type BCAA

Color Black (BK) Green (GN)

Quantity Per bag

_			_	_				
ם	rn	a	Inct	Des	2 C Fi	ınt	10	n
	ıv	u	uCL	DC	36II	IDL	ıv	

The Wedge Clip, paired with any HellermannTyton heavy duty Cable Tie, routes cables along a frame or rail in vertical or horizontal applications. A robust design and durable materials make it ideal for extreme-duty applications. The integrated wedge mechanism slides along a stepped grade until snug against the mounting surface. Inside the clip is a 3M[™] VHB[™] (Very High Bond) adhesive pad, which actually builds strength over time. This holds the clip to the work surface instantly, enabling installers to place it into position without worrying about it falling off prior to fastening. The combination of adhesive and the clip's vice-like compression result in incredible extraction force without the need to drill holes. The Wedge Clip is offered in three sizes.

Short Description

Wedge Clip, 0.0"-0.20" Panel Thickness, PA66HSGF, Black/Green, 200/bag

Global Part Name

BCAA-PA66HSGF30-BK/GN

Length L (Imperial)

1.21

Length L (Metric)

30.8

Width W (Imperial)

1.13

Width W (Metric)

28.6

Height H (Imperial)

1.70

Height H (Metric)

43.10

Panel Thickness Max (Imperial)

0.197

Panel Thickness Max (Metric)

5.0

Material Polyamide 6.6, heat stabilized, glass fiber reinforced

(PA66HSGF30%)

Material Shortcut PA66HSGF30

Adhesive Acrylic foam

Flammability UL 94 HB

Operating Temperature $-40^{\circ}\text{F to } +284^{\circ}\text{F } (-40^{\circ}\text{C to } +140^{\circ}\text{C})$

Reach Compliant (Article 33) Yes

ROHS Compliant Yes

Package Quantity (Imperial) 200

Package Quantity (Metric) 200

Customs Number 3926909988

© 2022 HellermannTyton. All Rights Reserved.

Contact Us RoHS/WEEE Compliance Disclaimer Terms and Conditions

X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for Cable Mounting & Accessories category:

Click to view products by HellermannTyton manufacturer:

Other Similar products are found below:

582603-1 009333-000 727844N003 747 809090N001 843188-000 8666 967279N002 DB-11 1300840039 1300900096 1301800416

1302264450 1300830184 1300830729 1300900039 1301580036 1301850553 1301860939 1302000074 1302261315 1302264431

1337706-2 APA18-AK 1724 1-787307-1 185491N001 1868 HP-6N C-202-C 202C221-13-0 CA7308-000 8S23-75FR-CS8184 2684 9648

3089 988382-000 A72821-000 AA401 173506-000 1823 202C292-13-0 202C302-13-0 2109 300625 3330 3412 356247-1 M9142

M9143