Cable Protection Systems

Protective Tubing and Spiral Binding

High abrasion-resistant polypropylene spiral binding, narrow pitch

SPS

SPS spiral binding is especially suitable wherever high abrasion resistance and much larger cable diameters are needed, for example in the petrochemical industry and in plant construction.

Features and benefits


- · Heavy-walled and very robust
- · Excellent protection from mechanical stress
- Very high abrasion resistance
- Very good resistance to oils
- Available in diameters up to 50 mm
- Ideal for larger cable bundles



Spiral binding SPS is very robust and provides good protection against oil.

| MATERIAL | Polypropylene (PP) |
|-----------------------|--------------------|
| Operating Temperature | -30 °C to +100 °C |
| Flammability | UL94 HB |





SPS spiral binding (narrow pitch)

| TYPE | Ø (D) | Pitch (P) | Bundle Ø max. | Length (L) | Colour | Article-No. |
|-------|----------|--------------|------------------|---------------|------------|-------------|
| SPS10 | 10.0 | 5.0 | 14 | 1.0 m | Black (BK) | 162-10100 |
| SPS15 | 15.0 | 5.0 | 20 | 1.0 m | Black (BK) | 162-10150 |
| SPS20 | 20.0 | 5.5 | 25 | 1.0 m | Black (BK) | 162-10200 |
| SPS25 | 25.0 | 6.0 | 30 | 1.0 m | Black (BK) | 162-10250 |
| SPS30 | 30.0 | 6.5 | 37 | 1.0 m | Black (BK) | 162-10300 |
| SPS35 | 35.0 | 6.5 | 42 | 1.0 m | Black (BK) | 162-10350 |
| SPS40 | 40.0 | 7.0 | 48 | 1.0 m | Black (BK) | 162-10400 |
| SPS50 | 50.0 | 8.0 | 59 | 1.0 m | Black (BK) | 162-10500 |

All dimensions in mm. Subject to technical changes. Minimum Order Quantity (MOQ) may differ from package content.

X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for Spiral Wraps, Sleeves, Tubing & Conduit category:

Click to view products by HellermannTyton manufacturer:

Other Similar products are found below:

601203-000 CTA-0053 8426-11 8429-9 8445-7.5 120-104-24 120-113-16B 120-116-1-1-09BE 120-116-1-1-09BF 120-116-1-1-09BP 120116-1-1-12BE 120-116-1-1-12BP 120-116-1-1-20BP 120-116-1-1-32BE 120-117-40 120-123-06 120-123-10 120-123-14 120-123-16 120125-12BL 120-125-12R 120-125-16 120-125-16R 120-125-16Y 120-125-20R 120-125-24Y 120-125-28 120-125-28R 120-125-32 120125-32R 120-125-40 120-125-56 120-126-09 120-126-09BL 120-126-12 120-126-12BL 120-126-14 120-126-16 120-126-16BL 120-12620 120-126-20BL 120-126-20R 120-126-24 120-126-28 120-126-32 120-126-40BL 120-126-52 120-126-52BL 120-104-12 120-104-20