

## Specification Sheet

Part Number: 166-90238

---



Flexible rubber material easily slips over end of conduit to seal out dust and debris.

Diameter markings make it easy to cut down to appropriate size.

Contains a cable tie slot for extra retention when required.

HelaGuard REC Conduit End Cap, 1.00" Dia, Flexible Rubber, Black, 10/pkg

**Article Number** 166-90238

**Type** REC1000

**Color** Black (BK)

**Quantity Per** pack

**Product Description** Rubber cap easily slides over un-terminated conduit and tubing ends to protect inside wire and cable bundles from debris. For use with HelaGuard conduits and tubing.

**Short Description** HelaGuard REC Conduit End Cap, 1.00" Dia, Flexible Rubber, Black, 10/pkg

**Global Part Name** REC1000-TPE-BK

<b>Length L (Imperial)</b>	1.67
<b>Length L (Metric)</b>	42.3
<b>Variant</b>	Endcap
<b>Outside Diameter OD (Imperial)</b>	1.67
<b>Outside Diameter OD (Metric)</b>	42.5
<b>Nominal Diameter (Imperial)</b>	1
<b>Nominal Diameter (Metric)</b>	34
<b>Material</b>	Thermoplastic Elastomer (TPE)
<b>Material Shortcut</b>	TPE
<b>Flammability</b>	UL 94 V-2
<b>Halogen Free</b>	Yes
<b>Operating Temperature</b>	-58°F to +248°F (-50°C to +120°C)
<b>ROHS Compliant</b>	Yes
<b>Package Quantity (Imperial)</b>	10

**Package Quantity (Metric)**

10

**Customs Number**

3926909988

© 2021 HellermannTyton. All Rights Reserved.

[Contact Us](#)

[RoHS/WEEE Compliance](#)

[Disclaimer](#)

[Terms and Conditions](#)

## X-ON Electronics

Largest Supplier of Electrical and Electronic Components

*Click to view similar products for [Conduit Fittings & Accessories](#) category:*

*Click to view products by [HellermannTyton](#) manufacturer:*

Other Similar products are found below :

[M3231GAB](#) [M3231GAC](#) [M3231GAE](#) [M3231GL](#) [M3231GT](#) [VC-937-16/RED](#) [VC-562-16/RED](#) [VC-1125-16/RED](#) [DM0240-1/2A](#) [3408B](#)  
[G6002](#) [M4340GAE](#) [C2016-P](#) [C2012-P](#) [3407B](#) [561-87BG11BLK](#) [561-75BG11B](#) [1.533.1201.50](#) [1.533.1601.51](#) [1.533.2001.51](#) [1.533.4001.50](#)  
[1.533.5001.50](#) [BVNV-P428](#) [BVBV-P366](#) [VC-687-16/RED](#) [2276](#) [2663-P](#) [3405B](#) [C2070-P](#) [3582V](#) [2643-P](#) [4975](#) [2644-P](#) [2955](#) [M50](#) [2404-P](#)  
[C2008-P](#) [2723-P](#) [2291](#) [2133-P](#) [3048F](#) [VC12516](#) [RC156-0500](#) [DM0523-1/2A](#) [1035A](#) [DMS0250-1A](#) [DMS0313-1A](#) [1040A](#) [1050A](#) [R1/8A](#)  
[DMPC0490-1/2A](#)