

Specification Sheet

Part Number: 166-90358



Nickel plated brass thread ensures secure connection with brass plated or nylon fittings.

NPT thread pattern works with metallic or non-metallic threaded fittings.

Use NPT metallic locknuts with 1.25", 1.5" and 2" nylon fittings.

HelaGuard Metallic Locknuts, 1.25" NPT Thread, 1.25" Dia, PA66, NPB Metal, 4/pkg

Article Number	166-90358
Type	ALNPB-1250
Color	Metal (ML)
Quantity Per	bag
Product Description	Locknuts work with metric threaded fittings or knockout entries.
Short Description	HelaGuard Metallic Locknuts, 1.25" NPT Thread, 1.25" Dia, PA66, NPB Metal, 4/pkg
Global Part Name	ALNPB-1250-NPB-ML

Material	Nickel Plated Brass (NPB)
Material Shortcut	NPB
Operating Temperature	-58°F to +275°F (-50°C to +135°C)
Package Quantity (Imperial)	4
Package Quantity (Metric)	4
Customs Number	7415338550

X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for [Conduit Fittings & Accessories](#) category:

Click to view products by [HellermannTyton](#) manufacturer:

Other Similar products are found below :

[M3231GAB](#) [M3231GAC](#) [M3231GAE](#) [M3231GL](#) [M3231GT](#) [VC-937-16/RED](#) [VC-562-16/RED](#) [VC-1125-16/RED](#) [DM0240-1/2A](#) [3408B](#)
[G6002](#) [M4340GAE](#) [C2016-P](#) [C2012-P](#) [3407B](#) [561-87BG11BLK](#) [561-75BG11B](#) [1.533.1201.50](#) [1.533.1601.51](#) [1.533.2001.51](#) [1.533.4001.50](#)
[1.533.5001.50](#) [BVNV-P428](#) [BVBV-P366](#) [VC-687-16/RED](#) [2276](#) [2663-P](#) [3405B](#) [C2070-P](#) [3582V](#) [2643-P](#) [4975](#) [2644-P](#) [2955](#) [M50](#) [2404-P](#)
[C2008-P](#) [2723-P](#) [2291](#) [2133-P](#) [3048F](#) [VC12516](#) [RC156-0500](#) [DM0523-1/2A](#) [1035A](#) [DMS0250-1A](#) [DMS0313-1A](#) [1040A](#) [1050A](#) [R1/8A](#)
[DMPC0490-1/2A](#)