

## Specification Sheet

Part Number: 166-90359



Nickel plated brass thread ensures secure connection with brass plated or nylon fittings.

NPT thread pattern works with metallic or non-metallic threaded fittings.

Use NPT metallic locknuts with 1.25", 1.5" and 2" nylon fittings.

HelaGuard Metallic Locknuts, 1.5" NPT Thread, 1.5" Dia, PA66, NPB Metal, 4/pkg

<b>Article Number</b>	166-90359
<b>Type</b>	ALNPB-1500
<b>Color</b>	Metal (ML)
<b>Quantity Per</b>	bag
<b>Product Description</b>	Locknuts work with metric threaded fittings or knockout entries.
<b>Short Description</b>	HelaGuard Metallic Locknuts, 1.5" NPT Thread, 1.5" Dia, PA66, NPB Metal, 4/pkg
<b>Global Part Name</b>	ALNPB-1500-NPB-ML

<b>Material</b>	Nickel Plated Brass (NPB)
<b>Material Shortcut</b>	NPB
<b>Operating Temperature</b>	-58°F to +275°F (-50°C to +135°C)
<b>Package Quantity (Imperial)</b>	4
<b>Package Quantity (Metric)</b>	4
<b>Customs Number</b>	7415338550

## X-ON Electronics

Largest Supplier of Electrical and Electronic Components

*Click to view similar products for [Conduit Fittings & Accessories](#) category:*

*Click to view products by [HellermannTyton](#) manufacturer:*

Other Similar products are found below :

[M3231GAB](#) [M3231GAC](#) [M3231GAE](#) [M3231GL](#) [M3231GT](#) [VC-937-16/RED](#) [VC-562-16/RED](#) [VC-1125-16/RED](#) [DM0240-1/2A](#) [3408B](#)  
[G6002](#) [M4340GAE](#) [C2016-P](#) [C2012-P](#) [3407B](#) [561-87BG11BLK](#) [561-75BG11B](#) [1.533.1201.50](#) [1.533.1601.51](#) [1.533.2001.51](#) [1.533.4001.50](#)  
[1.533.5001.50](#) [BVNV-P428](#) [BVBV-P366](#) [VC-687-16/RED](#) [2276](#) [2663-P](#) [3405B](#) [C2070-P](#) [3582V](#) [2643-P](#) [4975](#) [2644-P](#) [2955](#) [M50](#) [2404-P](#)  
[C2008-P](#) [2723-P](#) [2291](#) [2133-P](#) [3048F](#) [VC12516](#) [RC156-0500](#) [DM0523-1/2A](#) [1035A](#) [DMS0250-1A](#) [DMS0313-1A](#) [1040A](#) [1050A](#) [R1/8A](#)  
[DMPC0490-1/2A](#)