

### Shrinkable markers "Continuous Tube", thermal transfer

#### TDRT – 2:1 Rail Diesel Resistant

TDRT is a diesel resistant 2:1 heat shrink material which is rail approved. It is supplied as a continuous tube and printable on both sides.

The TDRT material is ideal where resistance to diesel, organic fluids, common fuels, lubricants and solvents properties are required, e.g. in mass transit, aerospace, marine and industrial installations. The tubing has been especially prepared so that the print performance is excellent at all times using HellermannTyton's printer range. In addition it is possible to either perforate the tubing at pre-determined lengths or fully sever the markers.

The material is also especially formulated to be printable with laser beam printers.

#### Features and benefits

- Shrink ratio 2:1
- Resistant to diesel and common fluids
- Available in yellow as standard and white on request
- Delivery in convenient storage boxes



Certified diesel resistant heatshrink markers TDRT.


|                                 |                                 |
|---------------------------------|---------------------------------|
| <b>MATERIAL</b>                 | Polyolefin, cross-linked (PO-X) |
| <b>Operating Temperature</b>    | -55 °C to +135 °C               |
| <b>Min. Shrink Temperature</b>  | +120 °C                         |
| <b>Shrink Ratio</b>             | 2:1                             |
| <b>Recommended Ribbon Type</b>  | TTDTHOUT                        |
| <b>Thermal Transfer Printer</b> | TT430, TT4030, TrakMark DS      |



For size matrix please refer to page 439.

LFH ✓

RoHS ✓



| TYPE      | Supplied<br>Ø D min. | Recov.<br>Ø d max. | Wall<br>(WT) | Pack<br>Cont. | Colour      | Article-No. |
|-----------|----------------------|--------------------|--------------|---------------|-------------|-------------|
| TDRT2.4YE | 2.8                  | 1.2                | 0.49         | 110 m         | Yellow (YE) | 553-62020   |
| TDRT3.2YE | 3.6                  | 1.6                | 0.51         | 110 m         | Yellow (YE) | 553-62021   |
| TDRT4.8YE | 5.3                  | 2.4                | 0.54         | 110 m         | Yellow (YE) | 553-62022   |
| TDRT6.4YE | 6.9                  | 3.2                | 0.56         | 110 m         | Yellow (YE) | 553-62023   |
| TDRT9.5YE | 10.2                 | 4.8                | 0.59         | 72 m          | Yellow (YE) | 553-62024   |
| TDRT12YE  | 13.5                 | 6.4                | 0.60         | 54 m          | Yellow (YE) | 553-62030   |
| TDRT18YE  | 20.1                 | 9.5                | 0.62         | 26 m          | Yellow (YE) | 553-62031   |
| TDRT25YE  | 26.7                 | 12.7               | 0.63         | 26 m          | Yellow (YE) | 553-62032   |
| TDRT38YE  | 39.8                 | 19.1               | 0.64         | 13 m          | Yellow (YE) | 553-62033   |
| TDRT51YE  | 53.8                 | 25.4               | 0.64         | 10 m          | Yellow (YE) | 553-62034   |

All dimensions in mm. Subject to technical changes.  
Minimum Order Quantity (MOQ) may differ from package content.

## X-ON Electronics

Largest Supplier of Electrical and Electronic Components

*Click to view similar products for [Wire Labels & Markers](#) category:*

*Click to view products by [HellermannTyton](#) manufacturer:*

Other Similar products are found below :

[89078GBEST](#) [89080GBEPR](#) [PCL025-4](#) [5761-2SF](#) [CS1836-000](#) [CS8626-000](#) [CU6337-000](#) [CU6343-000](#) [CWD01-0](#) [CWD012-0](#) [CWD012-7](#)  
[CWD015-3](#) [CWD015-7](#) [CWD02-0](#) [CWD02-3](#) [CWD02-4](#) [CWD02-6](#) [CWD02-8](#) [CWD02-A](#) [CWD02-D](#) [CWD02-H](#) [CWD02-K](#) [CWD02-L](#)  
[CWD02-M](#) [CWD02-P](#) [CWD02-Q](#) [CWD02-R](#) [CWD02-U](#) [CWD02-W](#) [CWD02-Y](#) [CWD03-+](#) [CWD03-0](#) [CWD03-P](#) [CWD06-0](#) [CWD06-8](#)  
[CWD06-9](#) [CWD06-L](#) [CWD06-N](#) [CWD09-0](#) [CWD09-5](#) [CWD09-7](#) [6806810001](#) [CY8610-000](#) [D04690-000](#) [7-1768041-1](#) [726631-1](#) [739253-000](#) [F24597-000](#) [750-1412](#) [F83400-000](#)