## **HellermannTyton**

## **Specification Sheet**

Part Number: TAG6T1-100B

HellermannTyton Self-Laminating Labels come on rolls on a standard 3" core for easy loading into a printer or caddy.

Labels are conformable so that they can bend around small gauge wires and tight bends without coming loose over time.

Labels are UL recognized for indoor and outdoor use to expand application options.

HellermannTyton thermal transfer labels work in any thermal transfer printer so that the use always has options to get labels printed without being locked into a single vendor.



Thermal Transfer Labels, Self-Laminating, 2.0" x 1.0" x 3.75", 1 Across, VL, White, 1000/roll

Article Number 596-00016

Type TAG6T1

Color White (WH)

Quantity Per roll

Product Description Hellerman

HellermannTyton thermal transfer self-laminating labels are a conformable vinyl film with a white printable surface followed by a clear tail that laminates the printed text when applied to a wire or cable. The labels are UL recognized for indoor and outdoor use with an aggressive acrylic adhesive that allows the label to bond to large and small diameter wires.

| Short Description              | Thermal Transfer Labels, Self-Laminating, 2.0" x 1.0" x 3.75", 1 Across, VL, White, 1000/roll |
|--------------------------------|---|
| Global Part Name               | TAG6T1-100B-WH  |
|                                |   |
| Width W (Imperial)             | 2.0   |
| Width W (Metric)               | 50.8  |
| Bundle Diameter Min (Imperial) | .22   |
| Bundle Diameter Min (Metric)   | 5.50  |
| Bundle Diameter Max (Imperial) | 0.87  |
| Bundle Diameter Max (Metric)   | 22.2  |
| Thickness T (Metric)           | 25  |
| Width of Liner (Metric)        | 55.88   |
| Width of Liner (Imperial)      | 2.20  |
|                                |   |
|                                |   |

MaterialType 100B (100B)Material Shortcut100BAdhesiveAcrylic

**Halogen Free** No **Adhesive Operating Temperature** -51°F to +200°F (-46°C to +93°C) **Operating Temperature** -40°F to +194°F (-40°C to +90°C) Reach Compliant (Article 33) Yes **ROHS Compliant** Yes Certification/Specification **UL-Recognized UL Recognized (US)** Yes Package Quantity (Imperial) 1000 Package Quantity (Metric) 1000 **Customs Number** 3919102055 Labels per Column 1

1

Labels per Row

## **X-ON Electronics**

Largest Supplier of Electrical and Electronic Components

Click to view similar products for Wire Labels & Markers category:

Click to view products by HellermannTyton manufacturer:

Other Similar products are found below:

89078GBEST 89082GBESR 89082GBEST PCL025-4 5761-2SF 58400 M1.040.0000.6 CRS-CM5M CRS-M18M CS1836-000 CS8626000 CU6337-000 CU6342-000 CU6343-000 CWD01-0 CWD012-0 CWD012-7 CWD015-3 CWD015-7 CWD02-0 CWD02-3 CWD02-4
CWD02-6 CWD02-8 CWD02-A CWD02-D CWD02-H CWD02-K CWD02-L CWD02-M CWD02-P CWD02-Q CWD02-R CWD02-U
CWD02-W CWD02-Y CWD03-+ CWD03-0 CWD03-P CWD06-0 CWD06-8 CWD06-9 CWD06-L CWD06-N CWD09-0 CWD09-5
CWD09-7 6806810001 CZ2857-000 6V1J0