


Industrial Ethernet

ROBUSTFLEX

HELUKAT® 1000IND

S/FTP, Category 7_A



Cable structure

Inner conductor Ø:	0,48 mm
Conductor material:	Copper, bare
Core insulation:	Foam-skin-PE
Core colours:	wh/bu, wh/og, wh/gn, wh/bn
Separator:	-
Screen over stranding element:	Al-Foil
Screen 1 over stranding:	Cu braid
Screen 2 over stranding:	-
Outer sheath material:	PUR
Outer diameter:	app. 6,2 mm
Outer sheath colour:	Green similar to RAL 6018

S/FTP 4x2xAWG 26/7 PUR

Electrical data

Characteristic impedance:	100 Ohm ± 15 Ohm at 1 to 100 MHz 100 Ohm ± 20 Ohm at 101 to 1000 MHz
Loop resistance:	290 Ohm/km max.
Mutual capacitance:	44 nF/km nom.
Rel. propagation velocity:	64 %

Typical values

Frequency (MHz)	10	100	250	800	900	1000
Attenuation (db/10m)	0,9	2,8	4,5	8,2	8,8	9,3
Next (db)	78,0	78,0	72,4	64,9	64,1	63,4
ACR (db)	77,1	75,2	67,9	56,7	55,3	54,1

Technical data

Weight:	app. 40 kg/km
bending radius, repeated:	50 mm
Operating temperature range min.:	-25°C
Operating temperature range max.:	+80°C
Caloric load, approx. value:	0,45 MJ/m
Copper weight:	23,00 kg/km

Norms

Acc. to ISO/IEC 11801, Acc. to EN 50173, Acc. to EIA/TIA 568-A, Category 7_A, Flame-retardant acc. to IEC 60332-1-2, Halogen-free acc. to 60754-1, Oil-resistant, AWM Style 21238 (80°C/ 600V)

Application

HELUKAT®1000IND Category 7_A Robustflex is an Ethernet cable that, thanks to use of a halogen-free PU outer sheath, is ideal for harsh industrial surroundings. This cable is configurable with common RJ45 plugs (industrial and office version), as well as with some Sub-D and M12 plugs.

Part no.

805684, S/FTP 4x2xAWG 26/7 PUR (S-STP)

Dimensions and specifications may be changed without prior notice.

X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for [Helukabel](#) manufacturer:

Other Similar products are found below :

[10001](#) [10003](#) [10004](#) [10005](#) [10007](#) [10008](#) [10009](#) [10010](#) [10011](#) [10012](#) [10013](#) [10014](#) [10015](#) [10016](#) [10018](#) [10019](#) [10020](#) [10022](#) [10023](#)
[10030](#) [10031](#) [10033](#) [10035](#) [10036](#) [10037](#) [10038](#) [10039](#) [10040](#) [10041](#) [10042](#) [10043](#) [10045](#) [10047](#) [10049](#) [10050](#) [10051](#) [10054](#) [10060](#)
[10061](#) [10062](#) [10063](#) [10065](#) [10067](#) [10068](#) [10069](#) [10070](#) [10071](#) [10072](#) [10073](#) [10074](#)