


Sep.1.2021 Copyright 2021 HIROSE ELECTRIC CO., LTD. All Rights Reserved.  
In case of consideration for using Automotive equipment / device which demand high reliability, kindly contact our sales window correspondents.




- NOTES
- 1 THE LOT NUMBER IS MARKED IN THIS AREA.
  - 2 THE NUMBER MARKED ON THE HOUSING REFERS TO THE NOMINAL STACKING HEIGHT.
  - 3 DIMENSIONS IN PARENTHESES ( ) ARE FOR REFERENCE.
  - 4 MATING RECEPTACLES ARE DEFINED FOR EACH SIDE OF THE INTERPOSER.
  - 5 PRODUCT IS SYMMETRIC ALONG NOTED AXIS. THE MATING RECEPTACLE ORIENTATION IS OPTIONAL.
  - 6 SCRATCHES AND/OR PUNCH MARKS LEFT BY THE MANUFACTURING PROCESS WILL NOT AFFECT THE PRODUCT PERFORMANCE.
  - 7 PROLONGED EXPOSURE TO THE ATMOSPHERE MAY CAUSE THE SILVER PLATING TO TARNISH.
  - 8 THIS PRODUCT IS RoHS COMPLIANT.
  - 9 THIS PRODUCT IS PACKAGED IN TRAYS. (50 PIECES PER TRAY.)
  - 10 THIS PART CAN ACCOMMODATE THE PCB BOARD TO BOARD STACKING HEIGHT RANGE OF  $25^{+1}_{-0.5}$ mm (24.5mm TO 26mm). FASTEN THE BOARDS WITHIN THIS HEIGHT RANGE USING SPACERS (OR OTHER MEANS). AN ADDITIONAL  $\pm 0.127$ mm ALLOWANCE IS PERMITTED BEYOND THE SPECIFIED RANGE FOR THE SPACER TOLERANCE.

②	COPPER ALLOY	5.1 $\mu$ m MIN SILVER OVER 1.3 $\mu$ m MIN NICKEL IN THE CONTACT AREAS	③	POLYSTYRENE	TRAY		
①	PBT	BLACK ULO94V-0					
NO.	MATERIAL	FINISH . REMARKS	NO.	MATERIAL	FINISH . REMARKS		
UNITS mm		SCALE 2 : 1	COUNT 6	DESCRIPTION OF REVISIONS DIS-F-007357	DESIGNED J. HUANG	CHECKED TM. MATSUO	DATE 14. 04. 28
<b>HRS</b> HIROSE ELECTRIC CO., LTD.		APPROVED : B. MACKILLOP 13. 01. 11	DRAWING NO. EDC3-349549-01				
		CHECKED : TM. MATSUO 13. 01. 10	PART NO. IT-P-2P-25H(11)				
		DESIGNED : R. MIKLINSKI 13. 01. 10	CODE NO. CL636-0607-6-11				
		DRAWN : J. HUANG 13. 01. 10			②/1		

Sep.1.2021 Copyright 2021 HIROSE ELECTRIC CO., LTD. All Rights Reserved.  
In case of consideration for using Automotive equipment / device which demand high reliability, kindly contact our sales window correspondents.

# TRAY PACKAGING DIMENSIONS



△ STACKED TRAY DIMENSION  
SCALE: 2:5

11 THE CONNECTOR IS PLACED IN THE POCKET OF THE TRAY AS SHOWN.

<b>HRS</b>	DRAWING NO.	EDC3-349549-01
	PART NO.	IT-P-2P-25H(11)
	CODE NO.	CL636-0607-6-11
		2/2

## X-ON Electronics

Largest Supplier of Electrical and Electronic Components

*Click to view similar products for [Power to the Board](#) category:*

*Click to view products by [Hirose](#) manufacturer:*

Other Similar products are found below :

[6450171-4](#) [6450552-7](#) [6600323-8](#) [6643429-1](#) [6646040-2](#) [6651939-1](#) [6766604-1](#) [120959-1](#) [1393557-2](#) [1393532-2](#) [1393532-3](#) [1393532-4](#)  
[1393557-1](#) [1600812-5](#) [1-6450861-2](#) [1744132-7](#) [1761122-1](#) [1766250-1](#) [1892109-1](#) [2-6450860-5](#) [2-6450870-0](#) [1-6450161-4](#) [1-6450850-6](#) [1-](#)  
[6450869-6](#) [1645526-2](#) [1-6600130-0](#) [2005243-2](#) [TE34-12-16P-F0](#) [5-6450830-6](#) [5646956-4](#) [4-6450830-9](#) [4-6600333-3](#) [10125416-4050LF](#)  
[6600320-3](#) [3-6450860-5](#) [1888123-2](#) [6450166-1](#) [6643978-1](#) [6766605-1](#) [N11444](#) [6651938-1](#) [6450810-7](#) [46437-1112](#) [1-1589677-8](#) [5646956-5](#)  
[6450813-2](#) [6450129-4](#) [1645523-1](#) [PSS-06-01-T-S](#) [0465621864](#)