



※ Actual product may differ from the image.

RoHS

[Product Numbers by Series](#)

[View Combined Products](#)

[Part Number Configuration](#)

U.FL-2LP-088K1T-A-(250)

Product	U.FL-2LP-088K1T-A-(250)
Series	U.FL
Connector Type	Plug
Cable Assembly	Yes
Cable Length	250 mm
V.S.W.R.	1.4 Max.

Detailed Specifications

Last Updated On Nov. 5, 2015

Product information	
Part No.	U.FL-2LP-088K1T-A-(250)
Basic information	
Connector Type	Plug
Cable Assembly	Yes
Cable Length	250 mm
V.S.W.R.	1.4 Max.
Connector Orientation	Right angle
Center Contact Plating	Gold

Outer Contact Plating	Silver
Cable Outer Diameter	1.38 mm
Shield Diameter	1.37 mm
Cable Color	Gray
Mechanical Specifications	
Locking Style	Push-on
Finish on Shell	Silver
Insulation Material	PBT
Cable Termination Method (Center Conductor)	Soldering
Cable Termination Method (Outer Conductor)	Crimping
Dimensional Information	
Mated Height	2.4 to 2.5 mm
UL Style Wire/Cable	UL 1979
Packaging Specifications	
Packaging Type	Bag
Minimum Order Quantity	1 PCS
Mass	1.22 g
Static Sensitive	No






Download



Catalog	Product Series Catalog	↓ DOWNLOAD

Data Sheet	Drawing (2D)	✉ CONTACT
	Drawing (3D)(IGES)	✉ CONTACT
	Drawing (3D)(STEP)	✉ CONTACT
	Specification Sheet	✉ CONTACT

[*I need help](#) with a product or information

Fitting Counterparts

Part No.	Direction of Opening, Connector Shape
 U.FL-R-SMT-1(32)	Straight, Receptacle
 HRMJ-U.FLJ-BPA-4	Straight, Adapter
 HRMJ-U.FLJ-PA-1(40)	Straight, Adapter
 HRMJ-U.FLJ-PA2	Straight, Adapter
 HRMJ-U.FLJ-PA4	Straight, Adapter

	HRMP-U.FLJ(40)	Straight, Adapter
	HRMP-U.FLJ-2	Straight, Adapter

*Please be careful about the connection of dissimilar metal plating types.

X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for [RF Cable Assemblies](#) category:

Click to view products by [Hirose](#) manufacturer:

Other Similar products are found below :

[73-6352-10](#) [73-6353-3](#) [73-6364-6](#) [R285001001](#) [R288940004](#) [R288940005](#) [145111-05-12.00](#) [1661-C-24](#) [1801171170914KE](#) [24P104C24J1-012](#) [24P104C24P1-006](#) [24P104C24P1-018](#) [24P204C24J1-003](#) [172-2150-EX](#) [1800920920914PJ](#) [FCB-3030-ALT](#) [21117-046](#) [21117-050](#) [PCX-24-50](#) [24P103C24P2-003](#) [25P203C25P2-003](#) [PTWY-24-78](#) [R284008001](#) [R285001021](#) [R285426000](#) [R288940003](#) [R288940008](#) [RF179-74BJ3-77RP1-0305](#) [4814-BB-24](#) [5260-72](#) [JT2N1-CL1-1F](#) [DLP-COAX1](#) [4814-K-48](#) [115101-09-06.00](#) [CCNTN2-MM-LL335-26](#) [73-6351-25](#) [73-6352-3](#) [73-6353-25](#) [1800920920610PJ](#) [GD0BQ0BQ024.0](#) [1-3636-600-5210](#) [TL8A-11SMA-11SMA-01500-51](#) [R284C0351060](#) [R288940009](#) [R284C0351028](#) [R288940002](#) [9702-1SL-1](#) [PT82NSMA](#) [73-6353-10](#) [R285020301W](#)