


NOTES 1 INTERFACE DIMENSIONS CONFORM TO USB2.0 STANDARDS.
 2 ALL 5 LEADS SMT AND CO-PLANARITY SHALL BE AS FOLLOWS.

SMT AGAINST DATUM Z	CO-PLANARITY
0±0.075	WITHIN 0.1

3 PER REEL:1000 PIECES

3	Copper Alloy	Tin reflow plating			
2	Copper Alloy	Contact area:gold plating 0.75µm min Lead area :tin reflow plating 1µm min Under :nickel plating 1.25µm min	6	PS	
1	LCP	Black UL94V-0	5	PS	
			4	PA	
NO.	MATERIAL	FINISH . REMARKS	NO.	MATERIAL	FINISH . REMARKS
UNITS	mm	SCALE	5 : 1	COUNT	1
DESCRIPTION OF REVISIONS			DESIGNED	CHECKED	DATE
DIS-E-00003186			MO. SHIMOYAMA	TU. TANIGUCHI	20200728
APPROVED :MN. KENJO 20200407			DRAWING NO. EDC-123210-70-00		
CHECKED :TU. TANIGUCHI 20200407			PART NO. UX60-MB-5S8(70)		
DESIGNED :KIM JAEHYEON 20200407			CODE NO. CL240-0002-1-70		
DRAWN :DS. HIROWATARI 20200407			1/2		

DRAWING FOR PACKING



HRS	DRAWING NO.	EDC-123210-70-00	2/2
	PART NO.	UX60-MB-5S8(70)	
	CODE NO.	CL240-0002-1-70	

X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for [USB Connectors](#) category:

Click to view products by [Hirose](#) manufacturer:

Other Similar products are found below :

[950](#) [A-USB A-LP-SMT-C](#) [A-USB B-TOP-C](#) [MUSBD11135](#) [17-200721](#) [217450-1](#) [KMBVX-TH-5S-B30](#) [896-30-004-00-000000](#) [KUSBX-AS2N-W](#) [KUSBX-SMT2AP1S-W30](#) [935](#) [957](#) [30-498-6](#) [SK-60A-2](#) [1734082-1](#) [30-470](#) [30-489](#) [30-541](#) [MAB 5 S](#) [A-USB A-2P-C](#) [MIKROE-1451](#) [USBFTVSCCG](#) [4689-1](#) [1-1734084-2](#) [NK-27-32SL](#) [NK-L8-22C-5/8](#) [10135326-001LF](#) [4198](#) [690-024-633-031](#) [UB-20PMFP-LC7001](#) [17-200011](#) [UB-20AFMM-LL7A01](#) [CAP-WCCMLPB1](#) [CAP-WCCMLPC1](#) [2274475-3](#) [914-614A2025S10200](#) [USB3FTV7SAGF059](#) [GSB3116344HR](#) [GSB22121WCEU](#) [USB3FTV2SAZNF459](#) [USB3FTV7SAZNF459](#) [HYCW153-USBD05-500B](#) [HYCW149-USBD05-740B](#) [HYCW214-USBA04-113B](#) [HYCW213-USBA04-113B](#) [KMMX-BSMT35S-1-B30TR](#) [00201-UCAF002-X](#) [00302-UCAF001-X](#) [00302-UCAF005-A](#) [00302-UCAF007-B](#)