





## BSB 20 K schwarz/black

Industrial Connectors:Measuring and Testing Equipment:Plugs:4 mm system

### Product description

Description	Multiple-spring wire plug with longitudinal or transverse cable entry in tower construction. Screw connection up to maximum cable cross-section of 2.5 mm <sup>2</sup> and external diameter of 4 mm. Nickel-plated brass contact material.
Type	BSB 20 K schwarz/black
Order No.	930 729-100
System	4 mm system
Housing Color	black
Color types	
Other standard types	red color, order no. 930 729-101; blue color, order no. 930 729-102; yellow color, order no. 930 729-103; green color, order no. 930 729-104

### Drawing



### Technical data

Pin dimensions	4 mm
Type of contact	pin (spring-loaded), socket
Type of termination	screw
Rated voltage	DC 60 V
Rated current	30 A
Contact resistance	3 mOhm
<b>Material</b>	
Contact material	brass
Contact surface material	nickel-plated
Housing material	PP
<b>Environmental conditions</b>	
Temperature range	-25 °C to +100 °C
<b>Inflammability class</b>	
Housing	94 V-2

## X-ON Electronics

Largest Supplier of Electrical and Electronic Components

*Click to view similar products for [Hirschmann](#) manufacturer:*

Other Similar products are found below :

[932792001](#) [972337002](#) [XWA164](#) [931824-102](#) [PRUEF1RT](#) [932507005](#) [XZC 0704](#) [934061109](#) [934084102](#) [934158101](#) [934174103](#)  
[972342001](#) [973369101](#) [LAS N WS AU GN](#) [N 6 R AM](#) [GMN 209 NJ BLACK](#) [STAS 4N GREY](#) [EAGLE40-2TX/1SFP](#) [934082101](#)  
[934069100](#) [934061702](#) [932430100](#) [GSAZ 300](#) [EAGLE40-2TX/1SFP-EEC](#) [934094103](#) [975695702](#) [972355107](#) [934075109](#) [934066103](#)  
[934080100](#) [934184100](#) [973929000](#) [975017700](#) [SLS 200 GN](#) [933003001](#) [934087107](#) [972338001](#) [931298006](#) [PRUEF2700RT](#) [938115101](#)  
[SEB 2600 G M4 GE](#) [PMS 2](#) [MICROSMDCLIP1](#) [PRUEF 2600 C2 RT](#) [934077105](#) [EF12M5FIX AU](#) [934093104](#) [972319101](#) [931297006](#)  
[934176101](#) [MLNSIL150/1RT](#) [934087102](#)