



东莞市皇捷通讯科技有限公司

DONGGUAD HUANG JIE COMMUNI CAT ION TECHNOLOGY CO.,LTD.

3N0301LG-018

2.4GHz ISM Flexible Polymer

Key Features

2.4 GHz ISM
2400-2500 MHz

Embedded Antenna
Wifi Antenna
High Performance
Ground Plane Independent
Self-Adhesive

Dimensions 31.4 x 7.4mm
ustomizable Cable and Connecto



Description

3N0301LG-018 antenna is flexible high efficiency embedded solution covering 2.4 GHz. Antenna can be easily mounted in most devices due to self-adhesive layer and small size. 3N0301LG-018 is omnidirectional, ground plane independent antenna. Cable and connector is upon request.

东莞市皇捷通讯科技有限公司
地址:广东省东莞市寮步镇泉塘大岷地工业区
网址:www.iphone-line.com
电话:0769-83328111 FAX:83327688





Antenna and electrical specifications

Parameters	2.4GHz ISM Flexible Polymer
Standards	WIFI
Band (MHz)	2.4GHz
Frequency (MHz)	2400-2500 MHz
Return Loss (dB)	-15.6
VSWR	<2.0
Efficiency (%)	40-60
Peak Gain (dBi)	3
Impedance (Ohm)	50
Polarisation	Linear
Radiation Pattern	Omni-Directional
Max. Input Power (W)	25
Connector Type	Most RF Connectors (U.FL Standard)
Cable Length	Any Cable Length (115.5mm Standard)
Cable Type	Other Cables Available (1.13mm Standard)

Antenna Measurement Conditions:

Mounted 40x10x0.3 Cm ABS Plastic Plate


Measured in Certified CTIA 3DAnechoic Chamber



Mechanical and environmental specifications

Specifications	3N0301LG-018
Mounting Type	Self-Adhesive
Dimensions (mm)	31.4 x 7.4mm
Adhesive Type	3M
Material	Flexible Polymer
Operating Temperature (C)	-40 to +85
Storage Temperature (C)	-40 to +85
Substance Compliance	RoHS

6	7	8
REVISION	DESCRIPTION	DATE
A0	FIRST RELEASE	18. 04. 27
		DRAFTER
		DENGJUN. TAN





- 技术要求:
- 电气特性: 特性阻抗:50Ω; 适用频率范围:2.4Hz-2.5GHz, 驻波比:最大2.0; 增益:峰值增益3dB_i.
检验方法: 使用矢量网络分析仪100%测试。
 - 尺寸检验: [*]为FAI检测项目; *为重点检测项目; ■为CPK管制项目。
 - 外观要求: 产品表面不得有刮伤、破损和脏污; 镀层色泽光亮均匀, 不得有氧化。
检验方法: 目视全检验。
 - 包装规范: 25PCS/扎, 4扎/包, 即100PCS/包。
 - 环保要求: 产品及其使用之物料皆需要符合RoHS要求。

3	2LM10P113210	MHF-1-PLUG FOR OD1.13 CABLE	1	---
2	2YP047	L31.4*W7.4*TO.8, 材质FR-4,	1	---
1	2C5M11312LG1	微细同轴电缆, OD1.13, 浅灰双锡线	1	---
No.	PART NUMBER	PART NAME & DESCRIPTION	Q' TY	REMARKS

GENERAL TOLERANCE:		HJ-Tech 东莞市皇捷通讯科技有限公司			
LINEAR:		FILE NAME:	TITLE:		
X	±0.20	产品图	射频频天线组件		
X.X	±0.15	ENG/DATE:	1.13浅灰双锡线, P1端接PCB, P2端打一代端子,		
X.XX	±0.05	DENGJUN. TAN/18.04.27	裁线长115.50mm (3dB 2.4-2.5GHz)		
X.XXX	±0.01	CHE/DATE:	P/N:	3N0301LG-018	
ANGLE:		APP/DATE:	UNIT:	SCALE:	REVISION:
X°	±4.00°		mm	1:1	A0
X.X°	±3.00°				
X.XX°	±2.00°				
X.XXX°	±1.00°				
					SHEET:
					1/1

COMPLIANCE WITH THE REQUIREMENT: ■RoHS; □HF; □SONY SS-00259; □OTHERS H410
*NO USING ESTRICED AND BANNED SUBSTANCE

实物照片




DONGGUAN HUANGJIE COMMUNICATION TECHNOLOGY CO., LTD.

东莞市皇捷通讯科技有限公司

电气特性测试报告

——网络分析仪测试

1 测试图示




东莞市皇捷通讯科技有限公司

电气特性测试报告

——网络分析仪测试

2 测试报告




东莞市皇捷通讯科技有限公司

电气特性测试报告

——网络分析仪测试

3 测试报告-VSWR




东莞市皇捷通讯科技有限公司

电气特性测试报告

——网络分析仪测试

4 测试报告-SMITH CHART




东莞市皇捷通讯科技有限公司

电气特性测试报告

——网络分析仪测试

5 测试报告-RETURN LOSS



X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for [Antennas](#) category:

Click to view products by [HJ Technology](#) manufacturer:

Other Similar products are found below :

[GAN30084EU](#) [930-033-R](#) [EXE902SM](#) [APAMPG-117](#) [MAF94383](#) [W6102B0100](#) [SPDA17RP918](#) [A09-F5NF-M](#) [RGFRA1903041A1T](#) [108-00016-050](#) [W3921B0100](#) [SIMNA-868](#) [SIMNA-915](#) [SIMNA-433](#) [W1049B090](#) [TRABT1560](#) [A75-001](#) [W3118A](#) [WTL2449CQ1-FRSMM](#) [CPL9C](#) [0600-00060](#) [GD5W-28P-NF](#) [MA9-7N](#) [GD53-25](#) [C37](#) [MAF94051](#) [FRX380](#) [MA9-5N](#) [B1322NR](#) [QWFTB120](#) [MAF94271](#) [MAF94300](#) [GPSMB301](#) [FG4403](#) [PSQ24495-91RSM](#) [MIKROE-2393](#) [DA5-32RADOME](#) [5200227](#) [GPSCPMM00](#) [W1049B030](#) [SPDA17RP918](#) [GPSCP00](#) [AN 303](#) [ANTDOM-05-01-WPM](#) [EXW30BNX](#) [OSCAR1A/5M/SMAM/S/S/31](#) [ALPHA4A/1M/SMAM/S/S/26](#) [OSCAR1A/10M/SMAM/S/S/31](#) [OSCAR40/5M/LL/SMAM/S/S/33](#) [OSCAR40/10M/LL/SMAM/S/S/33](#)