




SHENZHEN HAOLIN ELECTRONICS TECHNOLOGY CO., LTD

TO-220F SCHOTTKY BARRIER RECTIFIERS

MBR10150CT

FEATURES

- Schottky Barrier Chip
- Guard Ring Die Construction for Transient Protection
- Low Power Loss, High Efficiency
- High Surge Capability
- High Current Capability and Low Forward Voltage Drop
- For Use in Low Voltage, High Frequency Inverters, Free Wheeling, and Polarity Protection Applications



Dimensions in millimeters and (inches)

ELECTRICAL CHARACTERISTICS (Tamb=25°C)

| Characteristic | Symbol | MBR10150CT | Unit |
|---|-----------------------------------|------------------------------|------|
| Peak Repetitive Reverse Voltage | V _{RRM} | | |
| Working Peak Reverse Voltage | V _{RWM} | 150 | V |
| DC Blocking Voltage | V _R | | |
| Average Rectified Output Current | I _C | 10 | A |
| Maximum Instantaneous Forward Voltage @ I _F = 10A, T _c = 25°C @ I _F = 10A, T _c = 125°C @ I _F = 20A, T _c = 25°C @ I _F = 20A, T _c = 125°C | V _F | 0.85 0.80 0.95 0.85 | V |
| Peak Reverse Current @ T _c = 25°C at Rated DC Blocking Voltage @ T _c = 125°C | I _R | 10 200 | uA |
| Operating and Storage Temperature Range | T _j , T _{stg} | -55 to +150 | °C |

MBR10150CT-10200CT典型特性曲线图 (Ta=25°C)




Figure 1. typical Forward voltage (Per Leg)TV




Figure 2. typical Reverse Current (Per Leg)T




Figure 3. Forward Power Dissipation




Figure 4. Current Derating, Case




Figure 5. Current Derating, Ambient




Figure 6. typical Capacitance (Per Leg)T

X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for Schottky Diodes & Rectifiers category:

Click to view products by HL manufacturer:

Other Similar products are found below :

[MA4E2039](#) [MA4E2508M-1112](#) [MBR10100CT-BP](#) [MBR1545CT](#) [MMBD301M3T5G](#) [GS1JE-TP](#) [RB160M-50TR](#) [BAS 3010S-02LRH E6327](#)
[BAT 54-02LRH E6327](#) [NSR05F40QNXT5G](#) [NSVR05F40NXT5G](#) [NTE555](#) [JANS1N6640](#) [SB07-03C-TB-H](#) [SB1003M3-TL-W](#)
[SBAT54CWT1G](#) [SBM30-03-TR-E](#) [SBS818-TL-E](#) [SK310-T](#) [SK33A-TP](#) [SK34B-TP](#) [SS3003CH-TL-E](#) [PDS3100Q-7](#) [GA01SHT18](#)
[CRS10I30A\(TE85L,QM](#) [MA4E2501L-1290](#) [MBRB30H30CT-1G](#) [BAS 70-02L E6327](#) [DMJ3940-000](#) [SB007-03C-TB-E](#) [SB10015M-TL-E](#)
[SB1003M3-TL-E](#) [SK32A-TP](#) [SK33B-TP](#) [SK35A-TP](#) [SK38B-LTP](#) [SK38B-TP](#) [NRVBM120LT1G](#) [NTE505](#) [NTSB30U100CT-1G](#) [VS-6CWQ10FNHM3](#) [CRG04\(T5L,TEMQ\)](#) [ACDBA1100LR-HF](#) [ACDBA1200-HF](#) [ACDBA140-HF](#) [ACDBA2100-HF](#) [ACDBA240-HF](#)
[ACDBA3100-HF](#) [CDBQC0530L-HF](#) [BAT54-13-F](#)