



- Notes:
- Materials
 - Housing: LCP+30% G/F, Black, UL94 V-0;
 - Contact: Phosphor Copper (C5191), Gold Plating at mating area, Matte Tin or Au Plating at solder tail, all over Nickel;
 - Shell: Phosphor Copper (C5191);
 2. Ratings
 - Current Rating: 0.3A ;
 - Operating Temperature: -40℃ ~ 85℃;
 3. Electrical Requirement:
 - LLCR: Excluding Conductor Resistance 10mΩ Max.(Target design value),
 - Contact: 30mΩ Max. changed (Final), Shell: 50mΩ Max. Changed (Final);
 - Dielectric Withstanding Voltage: 150V AC (RMS) for 1 minute (Mated), 250V AC (RMS) for 1 minute (Unmated);
 - Insulation Resistance: 10MΩ Min. @ 150V DC (Mated), 100MΩ Min. @ 500V DC (Unmated);
 4. Mechanical Performance:
 - Insertion force: 44.1N (4.5kgf) Max.;
 - Withdrawal force: 4.9~25N (0.5~2.5kgf);
 - Durability life: 5,000 Cycles;
 5. IR Reflow: the peak temperature on board shall be maintained for 10 seconds at 260℃.

19	+5V Power
18	SDA
17	SCL
16	DDC/CEC Ground
15	CEC
14	TMDS Clock-
13	TMDS Clock Shield
12	TMDS Clock+
11	TMDS Data0-
10	TMDS Data0 Shield
9	TMDS Data0+
8	TMDS Data1-
7	TMDS Data1 Shield
6	TMDS Data1+
5	TMDS Data2-
4	TMDS Data2 Shield
3	TMDS Data2+
2	Utility
1	Hot Plug Detect
	Signal Assignment

深圳市华宇创精密电子有限公司

TOLERANCE:		SCALE:1:1	
X.X ±0.30	UNIT: mm [inch]	SIZE: A4	
X.XX ±0.25			
X.XXX ±0.15			
DRAWN BY: 陈一鸣		CHECKED BY: 马跃	
DATE: 2014-02-23		DATE: 2014-02-23	
PART NAME: HDML D TYPE 板上插座HL.55 双排SMT 外壳四脚插件		MOLD NO. HYC23-HDMID19-650	
DRAWN BY: 陈一鸣		CHECKED BY: 马跃	
DATE: 2014-02-23		DATE: 2014-02-23	
SHEET NO. 1 OF 1		DRAW NO. HYC-HDMI17050809	

- Notes:
1. The start and end of each reel, based on the actual quantity,
 2. Peel off force of top tape: 10g~130g, peel deg.:165±175?
 3. reserved 10--15pcs space;
peel speed: 250~300mm/min;
Carton size: 350*350*155mm.
 4. QTY: 1200pcs/reel, 5reel/carton, total 6000pcs/carton;



深圳市华宇创精密电子有限公司

PART NAME: 包装图		DRAWN BY: 陈一鸣	DATE: 2014-02-23	TOLERANCE: X.X ±0.30 X.XX ±0.25 X.XXX ±0.15	
CHECKED BY: 马跃		CHECKED BY: 陈一鸣	DATE: 2014-02-23	X.X ±2 X.X' ±0.5'	
MOLD NO.		APPROVED BY: 邱国美	DATE: 2014-02-23	UNIT: mm [inch]	
DRAW NO.		SCALE: 1:1		SIZE: A4	
SHEET NO. 1 OF 1					

X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for [HDMI, Displayport & DVI Connectors](#) category:

Click to view products by [HOAUC](#) manufacturer:

Other Similar products are found below :

[1775247-3](#) [2-1932649-5](#) [30-1231](#) [30-528](#) [2069485-1](#) [30-504](#) [30-519](#) [30-542](#) [47648-2000](#) [2002-400](#) [TC142X](#) [1453G1](#) [769-103/021-000](#)
[1932649-1](#) [233-368NFG6-17NH](#) [G45A19071083HR](#) [233-360NF00-17NH](#) [CP30200GM3B](#) [HYC02-DVI29-371](#) [P136-06NHDV4KBP](#)
[CP30116](#) [LTWDID-29PFFS-SL8001](#) [46765-1301](#) [1211-0010-201-001](#) [47271-1004](#) [32-1121-BU](#) [DS1117-BN0-TME-002](#) [MHDR2A11004BP](#)
[EHHDMI2PKG](#) [1903015-3](#) [DS1114-BN0](#) [WPUSBAF](#) [500254-1931](#) [HDMR-19-01-F-SM](#) [47151-1071](#) [1747981-1](#) [0480372000](#) [0482580001](#)
[D121073-19](#) [472710111](#) [HDMI-S-RA6-SMT-MF-15](#) [P142-000-UP](#) [P134-003](#) [P120-08N](#) [KDMIX-FS1V-WS-B](#) [P142-000-UD](#) [10029449-](#)
[101RLF](#) [P132-000](#) [P130-000](#) [P142-06N-MICRO](#)