



SIM pin assignment	Pin#	Name
C1		VCC供电电压
C2		RST重置
C3		CLK时钟
C5		GND接地
C6		VPP程序电压
C7		I/O输入输出



Specification

**MATERIAL:**  
 Insulator: High Temperature Thermoplastic, UL 94V-0.  
 Contact: Copper Alloy  
 SHELL: SUS  
 PLATING:  
 Contact: Plated 50u" Ni Overall  
 Shell: Plated 50u" Ni Overall  
 Plated 1u"Au Selective Contact Area

**Electrical:**  
 Current Rating : 0.5mA AC/DC max.  
 Voltage Rating : 125V AC/DC  
 Ambient Temperature Range : -20° C~+60° C  
 Storage Temperature Range : -40° C~+70° C  
 Ambient Humidity Range : 95% R.H. Max.  
 Contact Resistance: 100m Ω  
 Insulation Resistance: 1000M min./500VDC  
 Mating Cycles: 10,000 Insertions  
 Mating Cycles: 5,000~10,000 Insertions  
 工作温度范围: 260° C ~ 350° C  
 使用寿命: 5,000~10,000 Insertions

SCALE: 1:1 SIZE: A4		UNIT: mm [inch]	
TOLERANCE: X.X ±0.30 X.XX ±0.25 X.XXX ±0.15		X.X ±2 X.X ±0.5	
DRAWN BY: 陈一鸣	CHECKED BY: 马跃	DATE: 2014-02-23	DATE: 2014-02-23
PART NAME: NANO SIM PUSH 1.37H 带CD PIN	PART NO.: HYG63-SIM07-137	MOLD NO.:	DRAW NO.: HYG-SIM15073105
SHEET NO. 2 OF 2		2014-02-23	

深圳市华宇创精密电子有限公司



## X-ON Electronics

Largest Supplier of Electrical and Electronic Components

*Click to view similar products for [Standard Card Edge Connectors](#) category:*

*Click to view products by [HOAUC](#) manufacturer:*

Other Similar products are found below :

[6565204-6](#) [PKC-156](#) [1437274-4](#) [147889-1](#) [1489165-4](#) [EBT156-12B1X](#) [EBT15622B2X](#) [EBT156-22R2W](#) [1-582587-1](#) [1-582589-1](#) [2-6437275-9](#) [284-0102-12100](#) [306022901000000](#) [307-012-502-202](#) [307-024-526-201](#) [307-056-520-300](#) [307-080-526-208](#) [1926088-2](#) [245-062-520-350](#) [287-0032-12101](#) [306-010-500-112](#) [306-028-525-102](#) [306-240-318](#) [307-036-502-202](#) [307-036-521-301](#) [307-072-526-202](#) [345-060-559-303](#) [368-004-520-201](#) [392-008-559-201](#) [534671-1](#) [5-530501-5](#) [341-240-317](#) [345-029-520-300](#) [345-030-500-301](#) [345-044-500-300](#) [345-220-058](#) [346-240-318](#) [357-030-526-201](#) [387-012-523-300](#) [395-044-520-300](#) [395-100-524-300](#) [50-12B-10](#) [50-6SN-5](#) [09-07-2032](#) [10035388-106LF](#) [10035388-802LF](#) [10115859-011LF](#) [10122859-009LF](#) [101269333204245CLF](#) [10127905-B04B24BLF](#)