


PIN	T/F CARD
	microSD
8	P8 Dat1
7	P7 Dat0
6	P6 VSS
5	P5 CLK
4	P4 VDD
3	P3 CMD
2	P2 CD/Dat3
1	P1 Dat2








深圳市华宇创精密电子有限公司

TOLERANCE: X.X ±0.30 X.XX ±0.25 X.XXX ±0.15 X' ±2' X.X' ±0.5'	DRAWN BY : 陈一鸣	DATE : 2014-02-23	PART NAME: TF PUSH 内焊 1.4H
	CHECKED BY: 马跃	DATE : 2014-02-23	PART NO. HYCW97-TF08-140B
UNIT: mm [inch] SCALE:1:1	APPROVED BY: 邱敏	DATE : 2014-02-23	DRAW NO: HYC-TF17120395
SIZE: A4			SHEET NO. 1 OF 1



RECOMMEND P. C. B LAYOUT
(General tolerance ± 0.05)

-  PAD AREA
-  PATTERN PROHIBITION AREA
-  SOLDER PROHIBITION AREA
-  PROHIBITED AREA



Specification

1.MATERIAL:

- 1.1 Insulator: High Temperature Thermoplastic, (LCP, MG350), UL Black 94V-0.
- 1.2 Contact: Phosphor Bronze (C5210R-H, T=0.15 \pm 0.03mm)
- 1.3 Shell: SUS304-H T=0.12 \pm 0.03mm

2.Plating:



- 2.1 Contact: Plated 50u"min Ni Overall
Plated 1u"min Au Selective contact area
Plated 100u"min Sn over Ni on solder area
- 2.2 Shell: Plated 50u"min Ni Overall
Plated 1u"min Au Selective Contact Area

3.Property:

- 3.1 Current Rating :0.5A AC/DC max.
- 3.2 Voltage Rating :3.3V/5V(AC/DC)
- 3.3 Contact Resistance: Contact Pin 100m Ω max.
- 3.4 Insert/Pulling Force: 40N Max / 0.5~40N
- 3.5 Smt Solder Temperature: Should Under 260 $^{\circ}$ C
- 3.6 Operation Temperature Range: -40~+85 $^{\circ}$ C



深圳市华宇创精密电子有限公司

TOLERANCE: X.X ± 0.30 X.XX ± 0.25 X.XXX ± 0.15 X' $\pm 2'$ X.X' $\pm 0.5'$	DRAWN BY : 陈一鸣	DATE : 2014-02-23	PART NAME: TF PUSH 内焊 1.4H
	CHECKED BY: 马跃	DATE : 2014-02-23	PART NO. HYCW97-TF08-140B
  UNIT: mm [inch] SCALE:1:1 SIZE: A4	APPROVED BY: 邱敏	DATE : 2014-02-23	DRAW NO: HYC-TF17120395
			SHEET NO. 1 OF 1

X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for [Memory Card Connectors](#) category:

Click to view products by [HOAUC](#) manufacturer:

Other Similar products are found below :

[M21-033321-005](#) [6407-249V-25273P](#) [6407-249V-25343P](#) [69.920.0553.0](#) [809180410000000](#) [DM3AT-SF-PEJM5\(41\)](#) [HMCAP001](#) [252-0144-000](#) [2041353-2](#) [308-DS1P0811-192](#) [33CFAE-DN](#) [HM2P09PDR360N9LF](#) [502431-1011](#) [10-629549-258N](#) [11327-001](#) [11327-002](#) [617230001](#) [95622-003LF](#) [N7E50-U516RB-50-SIN0005](#) [95079-00CALF](#) [84648-056HLF](#) [93-570123-08P](#) [125A-78C00](#) [MI20A-50PD-SF-EJL\(71\)](#) [KP10S-SF-PEJ\(812\)](#) [504536-0691](#) [CCM03-3109 B LFT](#) [MI21-50PD-SF\(91\)](#) [2309923-1](#) [61126-050CAHLF](#) [IC1GA-68PD-1.27DS-EJ\(72\)](#) [GTFF08432B1HR](#) [G85DT17001P1EU](#) [G85C11101152HHR](#) [G85D1160022HHR](#) [KP15TL-SF\(800\)](#) [KP10BH-8S-SF\(800\)](#) [SCE2MSDB76A121SN](#) [SCE2MSDZN76A121SN](#) [C00710B0250001](#) [CCM01-2664 LFT T25](#) [47309-2651](#) [47481-0001](#) [055036006202862+](#) [67799-0004](#) [91228-3006](#) [104168-1616](#) [104C-TAA1](#) [112I-TA01](#) [112K-TAA0-RA1](#)