


947-F4Y-2D-1C0-180E

(Home: Products: Sensors: Position Sensors: Ultrasonic Sensors: 940-F/947)



	Product Specifications
Sensing Range	200 mm to 1500 mm [8.0 in to 59.0 in]
Range Type	Middle range 1,0 m to 2,0 m [39.0 in to 79.0 in]
Supply Voltage	19 Vdc to 30 Vdc
Beam Angle	8°
Oscillating Frequency	180 KHz
Integrated Temperature Compensation	No
Repeatability	0.2 % ± 2,0 mm [0.079 in]
Output Type	Analog 0 Vdc to 10 Vdc (7.22 V @ 1,500 mm)
Response Time	100 ms (at 90 %)
Adjustment Method	None (fixed sensitivity 5.5 mV/mm)
Analog Output Slope Selection	No
Operating Temperature	-15 °C to 70 °C [5 °F to 158 °F]
Storage Temperature	-25 °C to 75 °C [-13 °F to 167 °F]
Linearity	< 0.3 %
Load Resistance	> 1 Kohm
Indicators	No
Additional Inputs/Outputs	Hold/Synchronisation
Current Consumption	35 mA maximum
Circuit Protection	Reverse Polarity, voltage spikes on supply and output lines
Housing Style	M18 plastic
Housing Material	Polyethylenterephtalat
Sealing	IP67
Mounting	2 x M18 plastic nuts 24 mm
Sensing Face Material	Ероху
Termination Type	Pre-w ired 2 m [78.74]
Availability	Global
UNSPSC Code	41111960
UNSPSC Commodity	41111960 Ultrasonic sensor
Series Name	940-F/947

X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for Proximity Sensors category:

Click to view products by Honeywell manufacturer:

Other Similar products are found below :

01.001.5653.1 70.340.1028.0 70.360.2428.0 70.364.4828.0 70.810.1053.0 72.360.1628.0 73.363.6428.0 8027AL20NL2CPXX FYCC8E1-2 9221350022 922AA2W-A9P-L PLS2 GL-12F-C2.5X10(LOT3) 972AB2XM-A3N-L 972AB3XM-A3P-L PS3251 980659-1 QT-12 E2E2-X5M41-M4 E2E-X14MD1-G E2E-X2D1-G E2EX2ME2N E2EX3D1SM1N E2E-X4MD1-G E2E-X5E1-5M-N E2E-X5Y2-N E2E-X7D1-M1J-T-0.3M-N E2FMX1R5D12M E2K-F10MC1 5M EH-302 EI3010TBOP EI5515NPAP MS605AU EP175-32000 BSA-08-25-08 IFRM04N35B1/L IFRM04P1513/S35L IFRM06P1703/S35L IFRM08P1501/S35L IFRM12N17G3/L IFRM12P17G3/L IFRM12P3502/L IFRM12P37G1/S14L ILFK12E9189/I02 ILFK12E9193/I02 IMM2582C OISN-013 25.161.3253.0 25.332.0653.1 25.352.0653.0