



BZLN-200-LH

[Products](#) > [Switches](#) > [Limit Switches](#) > [Specialty Limit Switches](#) > [BZLN Series](#) > [BZLN-200-LH](#)

Overview

MICRO SWITCH BZLN Series Prewired Enclosed Switches, Top Plunger Actuator, 1NC/1NO SPDT Snap Action, No. 14 wire leads with 1/2 in - 14NPSM conduit hub, Left-hand Actuator....

[View More](#)[view all BZLN-200-LH literature](#)[view distributor inventory](#)[sample request](#)[email technical support](#)[start a chat we're offline](#)[get support](#)[email sales](#)[find a distributor](#)[email this page](#)

Technical Specifications

Availability	Global	Operating Force (OF)	22,2 N [5 lb] max.
Release Force	4,45 N [1 lb] min.	Pretravel (PT)	0,635 mm [0.025 in] max.
Overtravel (OT)	5,16 mm [0.203 in] min.	Differential Travel (DT)	0,1 mm [0.004 in] max.
Product Type	Enclosed Switches	Actuator	Top Plunger
Termination Type	Prelead with 1/2 in - 14NPSM Conduit	Circuitry	1NC 1NO SPDT Snap Action

[View More](#)View documents in:

Documents

TITLE	DOCUMENT TYPE	LANGUAGE	SIZE
Compact Pre-Wired Enclosed Switches LN Series	Catalog Information	English	259KB
MICRO SWITCH Limit Switches Comparison	Product Range Guide	English	460KB
Limit Switches and Machine Safety Range Guide	Product Range Guide	English	22MB
White Paper: Impacts of Shock and Vibration on a Limit Switch	White Paper	English	4MB

[View More](#)

Product Features

- Zinc die-cast housing
- Will withstand impact actuation
- Positioning dowel holes
- SPDT or 2-CKT DB circuitry
- UL Recognized, file #E12252
- CSA Certified, file #LR41372
- No. 14 type HWM wire leads, conduit hub seal
- Conduit size 1/2 - 14NPSM
- Sealed to NEMA 1, 3, 4, and 13

Applications

- Machine tool
- Stamping machines
- Applications which have shock/vibration present

NAVIGATION LINKS

[HOME PAGE](#)[PRODUCTS](#)[DISTRIBUTOR INVENTORY](#)[INDUSTRIES](#)[SUPPORT](#)[NEWS & EVENTS](#)

DISTRIBUTOR LINKS

[ECOM LOGIN](#)[LEARN CENTER](#)[REQUEST ACCESS TO ECOM](#)[SALES/AD PORTAL LOGIN](#)[SALES/AD PORTAL ACCESS REQUEST](#)[SAMPLE REQUEST](#)

LANGUAGE

SOCIAL MEDIA



SITE INFORMATION

[PRIVACY STATEMENT](#)

This site uses cookies to simplify and improve your usage and experience of this website. Cookies are small text files stored on the device you are using to access this website. If you ignore this message and continue without changing your browser settings, we will assume that you are consenting to our use of cookies. For further information on our use of cookies, please see our [Privacy Statement](#).

Don't show this message again

X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for [Limit Switches](#) category:

Click to view products by [Honeywell](#) manufacturer:

Other Similar products are found below :

[5ML1-E1](#) [5ML31](#) [LZG1](#) [LZL1-6C](#) [622EN114-R](#) [622EN18-6](#) [622EN224-6B](#) [622EN230](#) [622EN237-R](#) [622EN69-3](#) [622EN85-RB](#) [MA-10019](#)
[6PA109](#) [7LS51](#) [83547001](#) [83725002](#) [83830001](#) [83840701](#) [83841001](#) [83881140](#) [8AS42](#) [8LS10](#) [8LS125-4PG](#) [8LS152-4PGN20](#) [914CE16-](#)
[3A](#) [914CE3-3L1](#) [915PA10](#) [91MCE16-P2O](#) [924CE16-Y3](#) [924CE1-S6](#) [924CE1-T25A](#) [924CE1-T3](#) [924CE1-T9A](#) [924CE2-T9](#) [924CE31-Y20-](#)
[X5](#) [924CE31-Y3L1](#) [GL-10054](#) [GLAB26J2B](#) [GLDB03C-6](#) [GLDC05C](#) [GLZ324](#) [PS21R-NT11N7-YK0](#) [H3141CAKAA](#) [RDI-G-L5B](#) [DD-](#)
[10000](#) [DT-2R3-A7](#) [14CE16-3N28](#) [14CE18-N15](#) [151ML3-E1](#) [E3102BAAAA](#)