

## CSNE151-002

( Home : Products : Sensors : Current Sensors : Closed Loop : CSN )



CSN Series closed loop current sensor, measures ac, dc or impulse current, 25 amp-turns nominal, ±43 amp-turns range, high temperature, potted, 1000 turn

Actual product appearance may vary.

	Product Specifications
Product Type	Closed Loop Linear
Sensed Current Type	ac or dc
Sensed Current Range	±43 A
Package Type	Series Connect PCB Mount
Output Type	Current
Continuous Current	±36 A
Operate Current	25 A RMS @ 25 °C
Supply Current	±10 mA + Output
Supply Voltage	±15.0 Vdc
Offset Current	< ±0.15 mA
Offset Current Drift	< ±0.6 mA
Coil Resistance	110 Ohm
Response Time	< 1 µs
Coil Turns	1000
Output Nominal	25 mA
Operating Temperature	-40 °C to 85 °C [-40 °F to 185 °F]
Storage Temperature	-40 °C to 90 °C [-40 °F to 194 °F]
Measuring Resistance	100 Ohm min., 320 Ohm max.
Housing Material	Glass-filled PBT (UL94-V0)
Mounting	PCB on 17 Pins
Pinout Style	7 Pin
Accuracy	±0.5 %
Availability	Global
Comment	Extended operating temperature range and seven integral primary turns. Sensed current range only applies up to 70 °C.
UNSPSC Code	41111928
UNSPSC Commodity	41111928 Current Sensors
Series Name	CSN

## **X-ON Electronics**

Largest Supplier of Electrical and Electronic Components

Click to view similar products for Board Mount Current Sensors category:

Click to view products by Honeywell manufacturer:

Other Similar products are found below :

CSDD1FR
CSLA2ELI
CSNP661-007
SCL15 10006
ACS723LLCTR-05AB-T
L18P003S05
T60404-B4658-X030
LA02P021S03

LA01M041S05
LA03P054S05
CSNE151-003
L08P150D15IPV
L18P050D15-OP
SIC830AED-T1-GE3
CT-05
CT-07-100
CT-07-50
MR-1

MR-1-P5
T60404-N4646-X662
T60404-N4646-X664
DRV421RTJT
CSNR161005
T60404-N4646-X651
MR-2
MR-4
CT-06-100

CT-06-50
T60404-N4646-X410
T60404-N4646-X663
CT-06-75
CSDA1BA
CSDA1BA-S
CSDA1DA
CSDD1EC
CSLA1DE

CSLA1DG
CSLA1EL
CSLA1GE
CSLA1GF
CSLA2DI
CSLA2DG
CSLA2DH
CSLA2DJ
<t