



SENSING AND CONTROL

# Limit Switch Adapter for Deutsch DT4 Connectors Product Overview

## Four-pin conduit adapter

A patent-pending four-pin conduit adapter for limit switches with 20mm thread conduit openings reduces installation time and may be used with any conduit style limit switch.

The new Honeywell limit switch



accessory allows for true plug-and-play installation – no pre-leading is required to add the connector to the switch.

### Cost savings can be realized by:

- 1) Reducing installation time;
- 2) Reducing down time when replacing an existing switch in the application; and
- 3) Eliminating parts normally associated with the assembly of a pigtail connector.

## Features

The Deutsch connector can be ordered factory installed on a Honeywell MICRO SWITCH™ limit switch (consult factory for style number). The connector is also available in three models.



- Factory installed adapter on a Honeywell MICRO SWITCH™ limit switch (consult factory for style number)
- Adapter kit containing individual parts ready for assembly (GLZ8C-PA)
- Adapter assembly, pre-wired with four lead wires (GLZ8C-DEU)

## Potential applications

Cable-to-cable applications under the hood and in the cab of:

- Off-road equipment
- Aerial/Scissor lifts
- Construction equipment
- Agriculture equipment



## Warranty/Remedy

Honeywell warrants goods of its manufacture as being free of defective materials and faulty workmanship. Honeywell's standard product warranty applies unless agreed to otherwise by Honeywell in writing; please refer to your order acknowledgement or consult your local sales office for specific warranty details. If warranted goods are returned to Honeywell during the period of coverage, Honeywell will repair or replace, at its option, without charge those items it finds defective. **The foregoing is buyer's sole remedy and is in lieu of all warranties, expressed or implied, including those of merchantability and fitness for a particular purpose. In no event shall Honeywell be liable for consequential, special, or indirect damages.**

While we provide application assistance personally, through our literature and the Honeywell web site, it is up to the customer to determine the suitability of the product in the application.

Specifications may change without notice. The information we supply is believed to be accurate and reliable as of this printing. However, we assume no responsibility for its use.

## Sensing and Control

Honeywell  
1985 Douglas Drive North  
Golden Valley, Minnesota 55422  
[www.honeywell.com/sensing](http://www.honeywell.com/sensing)

## WARNING

### MISUSE OF DOCUMENTATION

- The information presented in this catalog is for reference only. DO NOT USE this document as a product installation information.
- Complete installation, operation, and maintenance information is provided in the instructions supplied with each product.

**Failure to comply with these instructions could result in death or serious injury.**

## Sales and Service

Honeywell serves its customers through a worldwide network of sales offices, representatives and distributors. For application assistance, current specifications, pricing or name of the nearest Authorized Distributor, contact your local sales office or:

### Phone and Fax:

Asia Pacific +65 6355-2828; +65 6445-3033 (Fax)  
Europe +44 (0) 1698 481481; +44 (0) 1698 481676 (Fax)  
Latin America +1-305-805-8188; +1-305-883-8257 (Fax)  
USA/Canada +1-800-537-6945; +1-815-235-6847  
+1-815-235-6545 (Fax)

E-mail: [info.sc@honeywell.com](mailto:info.sc@honeywell.com)

Internet: [www.honeywell.com/sensing](http://www.honeywell.com/sensing)

# Honeywell

001030-1-EN IL50 GLO  
February 2008

Copyright © 2008 Honeywell International Inc. All rights reserved.

## X-ON Electronics

Largest Supplier of Electrical and Electronic Components

*Click to view similar products for [Limit Switches](#) category:*

*Click to view products by [Honeywell](#) manufacturer:*

Other Similar products are found below :

[5ML1-E1](#) [5ML31](#) [LZG1](#) [LZL1-6C](#) [622EN114-R](#) [622EN18-6](#) [622EN224-6B](#) [622EN230](#) [622EN237-R](#) [622EN69-3](#) [622EN85-RB](#) [MA-10019](#)  
[6PA109](#) [7LS51](#) [83547001](#) [83725002](#) [83830001](#) [83840701](#) [83841001](#) [83881140](#) [8AS42](#) [8LS10](#) [8LS125-4PG](#) [8LS152-4PGN20](#) [914CE16-](#)  
[3A](#) [914CE3-3L1](#) [915PA10](#) [91MCE16-P2O](#) [924CE16-Y3](#) [924CE1-S6](#) [924CE1-T25A](#) [924CE1-T3](#) [924CE1-T9A](#) [924CE2-T9](#) [924CE31-Y20-](#)  
[X5](#) [924CE31-Y3L1](#) [GL-10054](#) [GLAB26J2B](#) [GLDB03C-6](#) [GLDC05C](#) [GLZ324](#) [H3141CAKAA](#) [RDI-G-L5B](#) [DD-10000](#) [DT-2R3-A7](#)  
[14CE16-3N28](#) [14CE18-N15](#) [151ML3-E1](#) [E3102BAAAA](#) [BFL1-AW1-S](#)