

WLS1A00AD

(Home : Products : Wireless : Limitless™ Sw itches : Limitless™ Heavy Duty Limit Sw itches : WLS)



Actual product appearance may vary.

Lim itless™ WLS Series Heavy-duty Lim it Switch, US/Canada, top roller plunger



WLS1A00AD
highres photo



WLS1A00AD
low res photo

Product Specifications

Availability	United States; Canada; Australia; Europe
Country Use	US, Canada, and Mexico
Operating Force (OF)	17,79 N [4 lb] max.
Full Overtravel Force	31,13 N [7 lb]
Pretravel (PT)	1,78 mm [0.07 in] max.
Overtravel (OT)	4,83 mm [0.190 in] min.
Differential Travel (DT)	0,38 mm [0.015 in] max.
Product Type	Limitless™ Wireless Limit Sw itches
Actuator	Top Roller Plunger
Circuitry	1NC 1NO SPDT Snap Action
Supply Voltage	3.6 Vdc (from battery)
Housing Material	Zinc Die Cast, Pow der-coated Phosphate Epoxy Finish
Housing Type	EN 50041
Series Name	WLS
Shock	IEC 60068-2-27; Half-sine, 10 g, 6 mS, 3 axis
Vibration	IEC 60068-2-6; 10 Hz to 500 Hz w ith 0,35 mm peak-to-peak, 58 Hz to 500 Hz 5 g
Sealing	IP67, NEMA 1, 3, 4, 6, 6P, 12, 13
Approvals	FCC 15.247; Industry Canada RSS 210; ETSI, CE mark; ACMA, C-Tick mark
Expected Mechanical Life	Head tested in excess of 50 million cycles
Operating Temperature	-40 °C to 85 °C [-40 °F to 185 °F]
Agency Approvals and Standards	FCC 15, IC, ACMA, ETSI, RoHS Compliant
UNSPSC Code	20142601
UNSPSC Commodity	20142601
Sealed	IP67
Operating Position (OP)	55,88 mm ±1,02 mm [2.20 in ±0.040 in]
Sw itch Type	Wireless Heavy-Duty Lim it Sw itch
Radio	WPAN 802.25.4; 2.4 GHz

Product Specifications

Antenna Type	None
Software Version	Version 1
Signal Range	305 m [1000 ft]
Battery	3.6 Vdc Lithium Thionyl Chloride; 2/3AA size
Battery Life	Up to three years (depending upon factors)
EMC	Latest applicable standards: EN 300 328, V1.7.1; EN 61326-1 (2006); EN 301 489-1, V1.8.1; EN 301 489-17, V2.1.1

X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for [Limit Switches](#) category:

Click to view products by [Honeywell](#) manufacturer:

Other Similar products are found below :

[5ML1-E1](#) [5ML31](#) [LZG1](#) [LZL1-6C](#) [622EN114-R](#) [622EN18-6](#) [622EN224-6B](#) [622EN230](#) [622EN237-R](#) [622EN69-3](#) [622EN85-RB](#) [MA-10019](#)
[6PA109](#) [7LS51](#) [83547001](#) [83725002](#) [83830001](#) [83840701](#) [83841001](#) [83881140](#) [8AS42](#) [8LS10](#) [8LS125-4PG](#) [8LS152-4PGN20](#) [914CE16-](#)
[3A](#) [914CE3-3L1](#) [915PA10](#) [91MCE16-P2O](#) [924CE16-Y3](#) [924CE1-S6](#) [924CE1-T25A](#) [924CE1-T3](#) [924CE1-T9A](#) [924CE2-T9](#) [924CE31-Y20-](#)
[X5](#) [924CE31-Y3L1](#) [GL-10054](#) [GLAB26J2B](#) [GLDB03C-6](#) [GLDC05C](#) [GLZ324](#) [PS21R-NT11N7-YK0](#) [H3141CAKAA](#) [RDI-G-L5B](#) [DD-](#)
[10000](#) [DT-2R3-A7](#) [14CE16-3N28](#) [14CE18-N15](#) [151ML3-E1](#) [E3102BAAAA](#)