



P/N	DC-038/A-A	DC-038/A-B
Schematic code		

Rating:0.5A 30V DC  
 Contact Resistance:100 mΩ Max.  
 Operating temperature:-20℃~70℃  
 Operating force:3-20N  
 Operating Life:5,000cycles



ECN NO.	REV.	DATE.	DESCRIPTION.	CHANGE.	CHECK.	APPRO.																												
	A		NEW																															
<table border="1"> <tr> <td>DRAWN</td> <td>J.X.Zhang</td> <td>DATE</td> <td>2013/11/11</td> </tr> <tr> <td>CHECKED</td> <td></td> <td>TITLE:</td> <td>PHONE JACKES</td> </tr> <tr> <td>APPROVALS</td> <td></td> <td>PART NO.</td> <td>DC-038</td> </tr> <tr> <td colspan="4">           TOLERANCES ARE: 30~0.15 ±0.30 ANGLE PART NO. DRAWING NO. SHEET 1 OF 1            10~0.20 ±0.20 UNIT: mm SCALE: 1:1            5~0.10 ±0.15 ±Z         </td> </tr> </table>							DRAWN	J.X.Zhang	DATE	2013/11/11	CHECKED		TITLE:	PHONE JACKES	APPROVALS		PART NO.	DC-038	TOLERANCES ARE: 30~0.15 ±0.30 ANGLE PART NO. DRAWING NO. SHEET 1 OF 1 10~0.20 ±0.20 UNIT: mm SCALE: 1:1 5~0.10 ±0.15 ±Z															
DRAWN	J.X.Zhang	DATE	2013/11/11																															
CHECKED		TITLE:	PHONE JACKES																															
APPROVALS		PART NO.	DC-038																															
TOLERANCES ARE: 30~0.15 ±0.30 ANGLE PART NO. DRAWING NO. SHEET 1 OF 1 10~0.20 ±0.20 UNIT: mm SCALE: 1:1 5~0.10 ±0.15 ±Z																																		
<table border="1"> <tr> <td>ITEM</td> <td>①</td> <td>Terminal</td> <td>3</td> <td>Phosphor bronze</td> <td>Au Plding</td> <td></td> </tr> <tr> <td></td> <td>②</td> <td>Housing</td> <td>1</td> <td>Nylon</td> <td>Black</td> <td></td> </tr> <tr> <td></td> <td>③</td> <td>Terminal</td> <td>3</td> <td>Phosphor bronze</td> <td>Au Plding</td> <td></td> </tr> <tr> <td></td> <td>④</td> <td>Housing</td> <td>1</td> <td>Nylon</td> <td>Black</td> <td></td> </tr> </table>							ITEM	①	Terminal	3	Phosphor bronze	Au Plding			②	Housing	1	Nylon	Black			③	Terminal	3	Phosphor bronze	Au Plding			④	Housing	1	Nylon	Black	
ITEM	①	Terminal	3	Phosphor bronze	Au Plding																													
	②	Housing	1	Nylon	Black																													
	③	Terminal	3	Phosphor bronze	Au Plding																													
	④	Housing	1	Nylon	Black																													
<table border="1"> <tr> <td>APPROVALS</td> <td>DATE</td> <td>REMARK</td> </tr> <tr> <td></td> <td></td> <td></td> </tr> </table>							APPROVALS	DATE	REMARK																									
APPROVALS	DATE	REMARK																																
<table border="1"> <tr> <td>DRAWN</td> <td>J.X.Zhang</td> <td>DATE</td> <td>2013/11/11</td> </tr> <tr> <td>CHECKED</td> <td></td> <td>TITLE:</td> <td>PHONE JACKES</td> </tr> <tr> <td>APPROVALS</td> <td></td> <td>PART NO.</td> <td>DC-038</td> </tr> <tr> <td colspan="4">           TOLERANCES ARE: 30~0.15 ±0.30 ANGLE PART NO. DRAWING NO. SHEET 1 OF 1            10~0.20 ±0.20 UNIT: mm SCALE: 1:1            5~0.10 ±0.15 ±Z         </td> </tr> </table>							DRAWN	J.X.Zhang	DATE	2013/11/11	CHECKED		TITLE:	PHONE JACKES	APPROVALS		PART NO.	DC-038	TOLERANCES ARE: 30~0.15 ±0.30 ANGLE PART NO. DRAWING NO. SHEET 1 OF 1 10~0.20 ±0.20 UNIT: mm SCALE: 1:1 5~0.10 ±0.15 ±Z															
DRAWN	J.X.Zhang	DATE	2013/11/11																															
CHECKED		TITLE:	PHONE JACKES																															
APPROVALS		PART NO.	DC-038																															
TOLERANCES ARE: 30~0.15 ±0.30 ANGLE PART NO. DRAWING NO. SHEET 1 OF 1 10~0.20 ±0.20 UNIT: mm SCALE: 1:1 5~0.10 ±0.15 ±Z																																		
<table border="1"> <tr> <td>DRAWN</td> <td>J.X.Zhang</td> <td>DATE</td> <td>2013/11/11</td> </tr> <tr> <td>CHECKED</td> <td></td> <td>TITLE:</td> <td>PHONE JACKES</td> </tr> <tr> <td>APPROVALS</td> <td></td> <td>PART NO.</td> <td>DC-038</td> </tr> <tr> <td colspan="4">           TOLERANCES ARE: 30~0.15 ±0.30 ANGLE PART NO. DRAWING NO. SHEET 1 OF 1            10~0.20 ±0.20 UNIT: mm SCALE: 1:1            5~0.10 ±0.15 ±Z         </td> </tr> </table>							DRAWN	J.X.Zhang	DATE	2013/11/11	CHECKED		TITLE:	PHONE JACKES	APPROVALS		PART NO.	DC-038	TOLERANCES ARE: 30~0.15 ±0.30 ANGLE PART NO. DRAWING NO. SHEET 1 OF 1 10~0.20 ±0.20 UNIT: mm SCALE: 1:1 5~0.10 ±0.15 ±Z															
DRAWN	J.X.Zhang	DATE	2013/11/11																															
CHECKED		TITLE:	PHONE JACKES																															
APPROVALS		PART NO.	DC-038																															
TOLERANCES ARE: 30~0.15 ±0.30 ANGLE PART NO. DRAWING NO. SHEET 1 OF 1 10~0.20 ±0.20 UNIT: mm SCALE: 1:1 5~0.10 ±0.15 ±Z																																		

ELECTRONICS CO.,LTD

## X-ON Electronics

Largest Supplier of Electrical and Electronic Components

*Click to view similar products for [DC Power Connectors](#) category:*

*Click to view products by [HRO parts](#) manufacturer:*

Other Similar products are found below :

[B04P-VL-VN-1.8](#) [1600206-1](#) [163-0308-EX](#) [163-4012-EX](#) [163-4117-EX](#) [163-7421](#) [163-MJ22-EX](#) [171-0721-EX](#) [KLDX-SMT-0202-BPTR](#)  
[163-0179-EX](#) [163-1000-EX](#) [163-4007-EX](#) [163-4015-EX](#) [171-0722-E](#) [171-7391](#) [K596](#) [KLD-0201-BC](#) [KPPX-D](#) [4C6831AX](#) [TS3PNJ](#)  
[E16550-0008](#) [VLP-08V-1](#) [VLP-12V-1](#) [VLS-01V](#) [DC PLUG-P1M-P1MR](#) [09442](#) [AS120-M](#) [09760](#) [CP30240](#) [TAMIYA-M](#) [TAMIYA-MT1](#)  
[TAMIYA-MT2](#) [4840.1200](#) [4840.2202](#) [C5080HI-04P-18 + C5080HI-C](#) [JC-138](#) [JC-210](#) [JPO-25 \(FC6814\)](#) [JYO-26 \(FC6811\)](#) [JYO-29](#)  
[\(FC68102\)](#) [KLBPS 3](#) [KLS 10 SCHWARZ](#) [KLS 40 SCHWARZ](#) [KPJXHT-4S](#) [DC-10A FC68148](#) [DC-10B \(FC68149\)](#) [WKLS 2](#) [WKLS 40](#)  
[FA67555](#) [XNES/J 210 SCHWARZ](#) [XNES/J 250 SCHWARZ](#)