


P.C.B Layout (copper-sided view)



Rating:0.5A 30V DC
 Contact Resistance:100 mΩ Max.
 Operating temperature:-20℃~70℃
 Operating force:3-20N
 Operating Life:5,000cycles

Model NO	A=φ6	PJ-3112A
	A=φ6	PJ-3112B
	A=φ7.3	PJ-3112C
	A=M6XP0.5	PJ-3112D
Schematic		

ECN NO.	REV.	DATE.	DESCRIPTION.	CHANGE.	CHECK.	APPRO.																																																																							
	A		NEW																																																																										
<table border="1"> <tr> <td>② Terminal</td> <td>3</td> <td>Phosphor bronze</td> <td>Au Plating</td> </tr> <tr> <td>① Housing</td> <td>1</td> <td>Nylon</td> <td>Black</td> </tr> <tr> <td>ITEM</td> <td>PART NAME</td> <td>TER'NO.</td> <td>QTY.</td> <td>MATERIAL</td> <td>FINISHING</td> <td>REMARK</td> </tr> <tr> <td colspan="2">APPROVALS</td> <td>DATE</td> <td colspan="4"></td> </tr> <tr> <td>DRAWN</td> <td>J.X.Zhang</td> <td>2013/11/11</td> <td colspan="4"></td> </tr> <tr> <td colspan="3">CHECKED</td> <td colspan="4">TITLE: PHONE JACKES</td> </tr> <tr> <td colspan="3">APPROVALS</td> <td colspan="4">PART NO. PJ-3112A</td> </tr> <tr> <td colspan="3">TOLERANCES ARE</td> <td colspan="4">SCALE: 1:1</td> </tr> <tr> <td>10~30</td> <td>±0.30</td> <td>ANGLE</td> <td colspan="4">PROJ.</td> </tr> <tr> <td>5~10</td> <td>±0.15</td> <td>±2°</td> <td colspan="4">DRAWING NO.</td> </tr> <tr> <td>~5</td> <td>±0.10</td> <td></td> <td colspan="4">SHEET 1 OF 1</td> </tr> </table>							② Terminal	3	Phosphor bronze	Au Plating	① Housing	1	Nylon	Black	ITEM	PART NAME	TER'NO.	QTY.	MATERIAL	FINISHING	REMARK	APPROVALS		DATE					DRAWN	J.X.Zhang	2013/11/11					CHECKED			TITLE: PHONE JACKES				APPROVALS			PART NO. PJ-3112A				TOLERANCES ARE			SCALE: 1:1				10~30	±0.30	ANGLE	PROJ.				5~10	±0.15	±2°	DRAWING NO.				~5	±0.10		SHEET 1 OF 1			
② Terminal	3	Phosphor bronze	Au Plating																																																																										
① Housing	1	Nylon	Black																																																																										
ITEM	PART NAME	TER'NO.	QTY.	MATERIAL	FINISHING	REMARK																																																																							
APPROVALS		DATE																																																																											
DRAWN	J.X.Zhang	2013/11/11																																																																											
CHECKED			TITLE: PHONE JACKES																																																																										
APPROVALS			PART NO. PJ-3112A																																																																										
TOLERANCES ARE			SCALE: 1:1																																																																										
10~30	±0.30	ANGLE	PROJ.																																																																										
5~10	±0.15	±2°	DRAWING NO.																																																																										
~5	±0.10		SHEET 1 OF 1																																																																										
<p>HAPO ELECTRONICS CO.,LTD</p>																																																																													

X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for [HDMI, Displayport & DVI Connectors](#) category:

Click to view products by [HRO parts](#) manufacturer:

Other Similar products are found below :

[30-1231](#) [30-528](#) [30-504](#) [30-519](#) [33DVIR-24S1B](#) [47648-2000](#) [2002-400](#) [TC142X](#) [769-103/021-000](#) [1932649-1](#) [CP30200GM3](#) [67881](#)
[HAFBF](#) [HBLBI](#) [HAFBG](#) [HAGBF](#) [HAGBG](#) [HAGBI](#) [HBLBJ](#) [AABIE](#) [AABIF](#) [AABIH](#) [AABII](#) [AABIJ](#) [AABIK](#) [AACBG](#) [ABIBF](#) [ABIBG](#)
[ABIBH](#) [ACEB0](#) [AACBK](#) [AACBL](#) [AAIBF](#) [AAIBI](#) [AANBF](#) [AANBG](#) [AANBI](#) [AANBJ](#) [AAQBH](#) [AAQBI](#) [AARBG](#) [AAXBD](#) [ABA AF](#)
[ABBBF](#) [AIKB0](#) [AIPB0](#) [AIRB0](#) [CC-HDMIL-1.8M](#) [HBLBG](#) [49883](#)