



**Electrical Characteristics:**  
 Frequency: 100.0 GHz max.  
 Impedance: 50.0 Ohms Nominal  
 VSWR:  
 1.15:1 to 12 GHz  
 1.25:1 to 26 GHz  
 1.40:1 to 40 GHz  
 1.50:1 to 65 GHz

**Mechanical:**  
 Operating temperature range:  
 -55°C to +165°C  
 SMP3 interface meets MIL-STD-348

Component	Material	Material Std compliance	Finish		Finish Std compliance
Body & Center Conductor	Beryllium Copper	ASTM B-196 UNS No. C17300 Temper TH04(H)	Gold Plate Nickel under plate	50µin - 100µin	Gold Plate: ASTM-B-488, Code C, Type II, Class 1.27
				50µin - 100µin	Nickel Plate: SAE-AMS-QQ-N- 290, Class I
Dielectric	PTFE	ASTM D-1710 Type 1, Grade 1	---	---	---

All dimensions after treatment in inches (mm)

Type: 31_SMP3-50-0-1		All dimensions after treatment in millimeter (mm)		
Assembly drawing	Released date:	alternative ID 29171-A2F1	3D-ID PRO-01170179 A	Sheet: 1 / 1
<b>HUBER+SUHNER</b>	description		ID	Release
	Adapter, Bullet SMP3		DOU-01170180	B

## X-ON Electronics

Largest Supplier of Electrical and Electronic Components

*Click to view similar products for [RF Connectors / Coaxial Connectors](#) category:*

*Click to view products by [Huber & Suhner](#) manufacturer:*

Other Similar products are found below :

[89674-0827](#) [6059674-1](#) [630059-000](#) [6501-1071-002](#) [6769](#) [7002-1541-010](#) [7002-1572-002](#) [7004-1512-000](#) [7009-1511-004](#) [7101-1541-010](#)  
[7101-1571-002](#) [7105-1521-002](#) [7203-1571-003](#) [7209-1511-011](#) [7210-1511-040](#) [7242-1511-000](#) [7405-1521-005](#) [7405-1521-802](#)  
[804S01D04M040](#) [8527](#) [8547](#) [FS11V](#) [877931](#) [8808-1511-001](#) [9049-9513-000](#) [9074-9513-000](#) [PL11C-026](#) [PL40-36](#) [9408-1113-000](#) [980-](#)  
[8666-005](#) [11 SMA-50-2-6 / 111 NE](#) [11 SMA-50-3-6 / 111 NE](#) [1-201144-1](#) [120919](#) [R107003010W](#) [R112186000](#) [R113053000W](#) [R113082097](#)  
[R113236000](#) [R114083000](#) [R114670000W](#) [R123415000W](#) [R124076320](#) [R124076450](#) [R124175123](#) [R125075000W](#) [R125075001](#)  
[R125172000W](#) [R125415030](#) [R141007161](#)