## **Data Sheet**



# Within Series Adaptor 32\_N-50-0-51/193\_N

## **Description**

Adaptor plug/plug

N-precision plug (male) / N-precision plug (male)

Precision adaptor

For Test & Measurement applications

Interface standard

Series N-precision - IEC 60169-16\_MIL-STD-348A/402\_CECC 22210

#### **Technical Data**



 $\begin{array}{lll} \mbox{Impedance} & 50 \ \Omega \\ \mbox{Interface frequency max.} & 18 \ \mbox{GHz} \\ \mbox{VSWR} & \mbox{DC - 18 GHz} \\ \mbox{ $\leq 1.03 + 0.01 f (GHz)$} \end{array}$ 

Electrical length 52.9 mm

**Mechanical Data** 

Number of matings 500
Weight 0.0625 kg

**Environmental Data** 

Operating temperature -55 °C to 70 °C 2011/65/EU (RoHS - including compliant 2015/863 and 2017/2102)

#### **Material Data**

Interface - N-precision plug (male)

Piece Parts	Material	Surface Plating
Centre contact	Copper Beryllium Alloy	Gold Plating (Nickel underplated)
Outer contact	Stainless Steel	
Body	Stainless Steel	
Insulator	Air Dielectric - Bead - PPH	
Coupling nut	Brass	SUCOPLATE (R) Plating

#### Interface - N-precision plug (male)

Piece Parts	Material	Surface Plating
Centre contact	Copper Beryllium Alloy	Gold Plating (Nickel underplated)
Outer contact	Stainless Steel	
Body	Stainless Steel	
Insulator	Air Dielectric - Bead - PPH	
Coupling nut	Brass	SUCOPLATE (R) Plating

## **Related Documents**

Catalogue drawing DCA-00013723

#### **Ordering Information**

Single package 32\_N-50-0-51/193\_NE

## Remarks

Operating specification acc. IEEE Std 287: temperature 13 °C to 33 °C



# **Data Sheet**



Within Series Adaptor 32\_N-50-0-51/193\_N

HUBER+SUHNER is certified according to ISO 9001, ISO 14001, AS/EN9100, ISO/TS 16949 and IRIS.

www.hubersuhner.com

Waiver: Fact and figures herein are for information only and do not represent any warranty of any kind.

# **X-ON Electronics**

Largest Supplier of Electrical and Electronic Components

Click to view similar products for RF Adapters - In Series category:

Click to view products by Huber & Suhner manufacturer:

Other Similar products are found below:

5916-1103-603 5919-1503-000 651A505 82-5552 9030-9523-502 PN2C A0407000 R114703000W R125771001 R141710000W R141723161 R141730000 R143730700 R143770000 R161703000W R161753000W R161791530W R201705000 R222705200 R222M40010W R223703180 R316754000 R405006000 R443162000 AD78TL HRM-513S 1996352-2 2157155-1 252169-75 AD158 2101130-1 252186 R114704000W R114720000W R125705001 R125705701 R125771000 R125771001W R127704001 R127.870.001 R127872001 R141717000 R142710000 R142723000 R143703000 R143704000 R143705700 R161715000W R161771000W R176754000