Data Sheet

HUBER+SUHNER

Within Series Adaptor 32_SMA-50-0-1/111_N

Description

Adaptor plug/plug SMA plug (male) / SMA plug (male)

Interface standard
Series SMA - IEC 60169-15_MIL-STD-348A/310_CECC 22110



Technical Data

Electrical Data

 $\begin{tabular}{ll} Impedance & 50 Ω \\ Interface frequency max. & 18 GHz \\ VSWR & DC - 18 GHz \\ $\leq 1.05 + 0.005 $f (GHz) \\ \end{tabular}$

Electrical length 26.1 m

Mechanical Data

Number of matings 500
Weight 0.0058 kg

Environmental Data

Operating temperature 2011/65/EU (RoHS - including 2015/863 and 2017/2102) -65 °C to 165 °C compliant

Material Data

Interface - SMA plug (male)

Piece Parts	Material	Surface Plating
Centre contact	Copper Beryllium Alloy	Gold Plating (Nickel underplated)
Outer contact	Copper Beryllium Alloy	Gold Plating (Nickel underplated)
Body	Copper Beryllium Alloy	Gold Plating (Nickel underplated)
Insulator	PFA / PTFE	
Coupling nut	Bronze	Gold Plating (Nickel underplated)
Gasket	VMQ (Silicone rubber)	

Interface - SMA plug (male)

Piece Parts	Material	Surface Plating
Centre contact	Copper Beryllium Alloy	Gold Plating (Nickel underplated)
Outer contact	Copper Beryllium Alloy	Gold Plating (Nickel underplated)
Body	Copper Beryllium Alloy	Gold Plating (Nickel underplated)
Insulator	PFA / PTFE	
Coupling nut	Bronze	Gold Plating (Nickel underplated)
Gasket	VMQ (Silicone rubber)	

Related Documents

Catalogue drawing DCA-00013690

Ordering Information

Single package 32_SMA-50-0-1/111_NE

Data Sheet



Within Series Adaptor 32_SMA-50-0-1/111_N

HUBER+SUHNER is certified according to ISO 9001, ISO 14001, AS/EN9100, ISO/TS 16949 and IRIS.

www.hubersuhner.com

Waiver: Fact and figures herein are for information only and do not represent any warranty of any kind.

X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for RF Adapters - In Series category:

Click to view products by Huber & Suhner manufacturer:

Other Similar products are found below:

5916-1103-603 5919-1503-000 5919-9503-000 651A505 82-5552 9030-9523-502 PN2C A0407000 R114703000W R125771001

R127871001 R141710000W R141723161 R141730000 R143730700 R143770000 R161703000W R161753000W R161791530W

R201705000 R222705200 R222M40010W R223703180 R316754000 R405006000 R443162000 AD78TL HRM-513S 1996352-2

2157155-1 252169-75 AD158 2101130-1 252186 R114704000W R114720000W R125705001 R125705701 R125771000 R125771001W

R127704001 R127.870.001 R127872001 R141717000 R142710000 R142723000 R143703000 R143704000 R143705700 R143710000