Data Sheet

HUBER+SUHNER

Within Series Adaptor 33_N-50-0-51/193_N

Description

Adaptor plug/jack

N-precision plug (male) / N-precision jack (female)

For Test & Measurement applications

Precision adaptor

Interface standard

Series N-precision - IEC 60169-16_MIL-STD-348A/402_CECC 22210



Technical Data

Electrical Data

 $\begin{tabular}{ll} Impedance & 50 Ω \\ Interface frequency max. & 18 GHz \\ VSWR & DC - 18 GHz \\ $\leq 1.03 + 0.01 $f (GHz)$ \\ \end{tabular}$

Electrical length 35.5 mm

Mechanical Data

Number of matings 500
Weight 500
0.0476 kg

Environmental Data

Operating temperature 2011/65/EU (RoHS - including 2015/863 and 2017/2102)

-55 °C to 70 °C compliant

Material Data

Interface - N-precision plug (male)

Piece Parts	Material	Surface Plating
Centre contact	Copper Beryllium Alloy	Gold Plating (Nickel underplated)
Outer contact	Stainless Steel	
Body	Stainless Steel	
Insulator	Air Dielectric - Bead - PPH	
Coupling nut	Brass	SUCOPLATE (R) Plating

Interface - N-precision jack (female)

Piece Parts	Material	Surface Plating
Centre contact	Copper Beryllium Alloy	Gold Plating (Nickel underplated)
Outer contact	Stainless Steel	
Body	Stainless Steel	
Insulator	Air Dielectric - Bead - PPH	

Related Documents

Catalogue drawing DCA-00013714

Ordering Information

Single package 33_N-50-0-51/193_NE

Remarks

Operating specification acc. IEEE Std 287: temperature 13 °C to 33 °C

Data Sheet



Within Series Adaptor 33_N-50-0-51/193_N

HUBER+SUHNER is certified according to ISO 9001, ISO 14001, AS/EN9100, ISO/TS 16949 and IRIS.

www.hubersuhner.com

Waiver: Fact and figures herein are for information only and do not represent any warranty of any kind.

X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for RF Adapters - In Series category:

Click to view products by Huber & Suhner manufacturer:

Other Similar products are found below:

5916-1103-603 5919-1503-000 5919-9503-000 651A505 82-5552 9030-9523-502 PN2C A0407000 R114703000W R125771001

R127871001 R141710000W R141723161 R141730000 R143730700 R143770000 R161703000W R161753000W R161791530W

R201705000 R222705200 R222M40010W R222M40050 R223703180 R316754000 R405006000 R443162000 AD78TL HRM-513S

1996352-2 2157155-1 252169-75 AD158 2101130-1 252186 R114704000W R114720000W R125705001 R125705701 R125771000

R125771001W R127704001 R127.870.001 R127872001 R141717000 R142710000 R142723000 R143703000 R143704000 R143705700