Data Sheet



GPS Antenna L1 (Low Profile, active GPS, outdoor mount, waterproof)

Description

The GPS L1 antennas are ideally suited for exterior installations on roofs or mounting poles as well as mounting brackets.

Available in 2 models: Low Gain (-L) & High Gain (-H)

These antennas contain large selective patch antennas and an RF band pass filter that attenuates cellular and radar frequency ranges in order to minimize interferences and blocking effects.

The GPS antennas are available in a variety of colours.

Excellent performance as part of an GPS-over-Fiber solution.


Order Information

Item Description	Item Number
GPS Antenna L1 – L	85073713
GPS Antenna L1 - H	85073712

Specification

Parameters		Value		Remarks	
		Min.	Тур.	Max.	
All specifications at 25°C case Temperature	Tc , unless otherwise specified				
Centre frequency	MHz		1575.42		1565 – 1613 MHz
Return Loss	dB		1.5		0.6m cable on 30x30cm ground plane
Low Gain Model (-L)					
Peak gain	dBi		20		0.6m cable on 30x30cm ground plane
Power Supply	VDC		3-5		12 mA
High Gain Model (-H)					
Peak gain	dBi		25		0.6m cable on 30x30cm ground plane
Power Supply	VDC		3-5		25 mA
Mechanical Data					
Dimensions	mm		76x21		
Cable length	m		1		RG174
Connector			SMA		
Temperature Range	°C	-40		+85	
Waterproof	IP		69		When installed with mounting stud.
Colour			Black		Other colours possible.

Dimensions Drawing











GPS Antenna L1 (Low Profile, active GPS, outdoor mount, waterproof)

Antenna Radiation Pattern (-L)



Antenna Radiation Pattern (-H)




Data Sheet



GPS Antenna L1 (Low Profile, active GPS, outdoor mount, waterproof)

Band pass characteristics



Installation instructions

- no extra ground plane required (ground plane inside).
- mountable on all clean, smooth and rust-free / rust-protected surfaces.
- mounting torque for M16 nut is 4Nm (min), 6Nm (max).
- mounting hole diameter 16mm (+2mm, 0mm).
- If mounted on a stand or support the cable entry must to be waterproofed.

HUBER+SUHNER is certified according to ISO 9001, ISO 14001, ISO/TS 16949 und IRIS

Waiver: It is exclusively in written agreements that we provide our customers with warrants and representations as to the technical specifications and/or the fitness for any particular purpose. The facts and figures contained herein are carefully compiled to the best of our knowledge, but they are intended for general informational purposes only.

X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for Antennas category:

Click to view products by Huber & Suhner manufacturer:

Other Similar products are found below :

 GAN30084EU
 930-033-R
 GW17.07.0250E
 1513563-1
 EXE902SM
 APAMPG-117
 MAF94383
 W3908B0100
 W6102B0100
 YE572113

 30RSMM
 108-00014-50
 66089-2406
 SPDA17RP918
 A09-F8NF-M
 A09-F5NF-M
 RGFRA1903041A1T
 W3593B0100
 W3921B0100

 SIMNA-868
 SIMNA-915
 SIMNA-433
 W1044
 W1049B090
 A75-001
 WTL2449CQ1-FRSMM
 CPL9C
 EXB148BN
 0600-00060

 TRA9020S3PBN-001
 Y4503
 GD5W-28P-NF
 MA9-7N
 GD53-25
 GD5W-21P-NF
 C37
 MAF94051
 MA9-5N
 EXD420PL
 B1322NR

 QWFTB120
 MAF94271
 MAF94300
 GPSMB301
 FG4403
 A0-AGSM-0M54
 5200232
 MIKROE-2349
 WCM.01.0111
 MIKROE-2393

 MIKROE-2352
 MIKROE-2352
 MIKROE-2352
 MIKROE-2352
 MIKROE-2352
 MIKROE-2352
 MIKROE-2352