

## PCDS\_LCUP\_SCUS\_A220E\_XX.X\_SS

### Description

Duplex patch cord, LCD push-pull to SC simplex, UPC, duplex fig.8 2x2.0mm\_XX.X\_yellow, SM G.657.A2



Features	Features
- Push-pull mechanism for best handling and high packing density	- Push-pull connector
- One-piece design for easy termination	- One-piece design for easy and quick termination
- Short rigid length	- High mechanical and thermal resistance according to Telcordia GR-326-CORE
- Switchable duplex connectors	

### Technical Data

#### General Data

Description	Values
General Typ	Duplex LC/SC patch cord
Operation temperature	-25 up to 70°C
Polarity	A-B / B-A straight polarity (standard)
UL Rating	UL 94 V-0
RoHS compliant 2001/65/EU	Yes
REACH compliant	Yes

#### Connector left

Description	Values
Connector typ	LC duplex Push-Pull
Polish	UPC
Color Housing	Blue
Color Clip	Blue
Color Boot	Black / Blue
Design connector acc. To	IEC 61754-20, TIA 604-10-A
Performance class H+S	S
Insertion loss 97% dB / mean dB	0.45 / 0.2
Return Loss	50
Durability	1000
Tensile load	2 x 100 N
Tensile load acc. To GR-326-COR	Fullfilled

#### Connector right

Description	Values
Connector typ	SC simplex
Polish	UPC
Color Housing	Blue
Color Boot	Black / Blue
Design connector acc. To	IEC 61754-4, TIA 604-3
Performance class H+S	S
Insertion loss 97% dB / mean dB	0.45 / 0.2
Return Loss	50
Durability	1000


## PCDS\_LCUP\_SCUS\_A220E\_XX.X\_SS

Tensile load	2 x 100 N
Tensile load acc. To GR-326-COR	Fullfilled

### Cable

Description	Values
Cable typ	Duplex Cable Figure 8
Fiber count	2
Fiber	2 x 0.9 mm
Fiber typ	E9/125-SM G.657.A2
Outer diameter	2 mm

### Technical Drawing



### Ordering information

Meter (m)	Item number	Description
1	85031636	PCDS_LCUP_SCUS_A220E_01.0_SS
2	85031637	PCDS_LCUP_SCUS_A220E_02.0_SS
3	85031638	PCDS_LCUP_SCUS_A220E_03.0_SS
5	85031639	PCDS_LCUP_SCUS_A220E_05.0_SS
7	85031640	PCDS_LCUP_SCUS_A220E_07.0_SS
10	85031641	PCDS_LCUP_SCUS_A220E_10.0_SS
11	85119364	PCDS_LCUP_SCUS_A220E_11.0_SS
13	85141660	PCDS_LCUP_SCUS_A220E_13.0_SS
15	85031642	PCDS_LCUP_SCUS_A220E_15.0_SS
20	85031643	PCDS_LCUP_SCUS_A220E_20.0_SS
27	85145237	PCDS_LCUP_SCUS_A220E_27.0_SS

## X-ON Electronics

Largest Supplier of Electrical and Electronic Components

*Click to view similar products for [Fibre Optic Cable Assemblies](#) category:*

*Click to view products by [Huber & Suhner](#) manufacturer:*

Other Similar products are found below :

[7-21002-9](#) [760-1518](#) [FA04390-50-M-72-LC-N](#) [MLB 501 V RED](#) [MLB 501 V YELLOW](#) [1-3636-600-5208](#) [2061529-7](#) [1-6693182-0](#)  
[1754898-1](#) [21055-6](#) [FXBSCSCE2LM002](#) [3000005](#) [3-21053-2](#) [MLB 200/1 V BLACK](#) [MLB 2001 V RED](#) [MLB 2001 V YELLOW](#) [MLB 501](#)  
[V BLACK](#) [5492011-6](#) [106284-7000](#) [5492011-5](#) [5492011-8](#) [5492011-9](#) [8-21007-5](#) [2123524-2](#) [2123524-1](#) [106386-4447](#) [DFSM-SCSC-2M](#)  
[2123909-4](#) [2123909-8](#) [106273-0629](#) [2125046-1](#) [2821236-3](#) [2821310-2](#) [2821310-3](#) [2821313-4](#) [FX2ERLNLNSNM0.5](#) [CF-980062-074](#) [CF-](#)  
[901200-394](#) [CF-980062-073](#) [CF-980062-071](#) [CF-980062-075](#) [CF-980062-072](#) [17-300310-100](#) [2821236-2](#) [2821313-1](#) [G-FC-FC-S-002.0-DX-](#)  
[A-18-Y](#) [G-E2A-E2A-S-003.0-SX-A-18-Y](#) [956-322-502214](#) [FA04474](#) [1083665](#)