


TECHNICAL DATA SHEET

# Thermoplastic Elastomer TPE

**General notes:**

- » **TPE** Olefinic Thermoplastic Elastomer, Permanent Antistatic
- » Soft Plastic, was developed in order to achieve a surface resistance  $10^8$ - $10^9$  Ohm in order to minimize the possibility of charge generation by wearing

- » **ESD Protection**



## Mechanical properties


Tensile strength	<b>2 MPa</b>	ISO 527 ASTM D 638
Tensile elongation	<b>10 +%</b>	ISO 527 ASTM D 638
Hardness, Shore	<b>65-75 A</b>	D-785

# Polypropylen compound PP

**General notes:**

- » **PP** polypropylene-compound
- » Hard Plastic, its function is to ground the metal tool (through the operators hand and the ESD wrist strap)

- » **ESD Protection**



## Mechanical properties

Tensile strength at break (5mm/min)	<b>20 MPa</b>	ISO 527 ASTM D 638
Elongation at break (5mm/min)	<b>&gt;10%</b>	ISO 527 ASTM D 638
Tensile modulus +23°C	<b>1650 MPa</b>	ISO 527 ASTM D 638
Tensile strength +23°C	<b>190 MPa</b>	ISO 527 ASTM D 638
Izod-Impact strength (notched) +23°C	<b>13 kJ/m</b>	ISO 179/2C

## Thermal properties

Temp. of defl. under load (1.80 MPa)	<b>56 °C</b>	ISO 75 ASTM D 648
VICAT softening point B (49 N)	<b>70 °C</b>	ISO 306

## Other properties

Density	<b>0.97 g/cm³</b>	ISO 1183
---------	-------------------	----------

This document contains information based on average values as obtained from the results of laboratory tests and observations made on the material. Ideal-tek SA declines all responsibility from an improper use of the product described in this document.

## X-ON Electronics

Largest Supplier of Electrical and Electronic Components

*Click to view similar products for [Pliers & Tweezers](#) category:*

*Click to view products by [Ideal-Tek](#) manufacturer:*

Other Similar products are found below :

[0031](#) [32750](#) [PN-5050/38D](#) [PG-TP-30D](#) [PG-DP-18-N](#) [G77015](#) [4-1532129-2](#) [77 12 115](#) [0037](#) [T0058765801](#) [571](#) [76C](#) [37 31 125](#) [RX 8130](#)  
[37 33 125](#) [DRP10N](#) [32 11 135](#) [36 12 130](#) [0036](#) [64 11 115](#) [0032](#) [6231-08](#) [PN 5050/19D](#) [PNI 5000](#) [TP 5000/15D](#) [TR 30 15 V](#) [TR 5000 PR](#)  
[TR 58 R A D](#) [00 20 08 US2](#) [13 01 614](#) [87 28 250 SBA](#) [INCP8](#) [30993](#) [011820101](#) [003780032](#) [003780041](#) [134-69-160](#) [134-69-180](#) [135-49-](#)  
[VDE-190](#) [137-49-VDE-180](#) [137-49-VDE-200](#) [137-49-VDE-240](#) [137-69-180](#) [137-69-200](#) [137-69-240](#) [138-49-VDE-200](#) [138-69-200](#) [140-49-](#)  
[VDE-170](#) [140-49-VDE-205](#) [140-69-205](#)