



© COPYRIGHT 2010 BY INDUSTRIAL FIBER OPTICS, INC.
ALL RIGHTS RESERVED.

LIGHT PIPE PREPARATION/INSTALLATION:




NOTES:

1. ROHS COMPLIANT
2. UL 94V-2 FLAMMABILITY RATING
3. -40°C TO 85°C OPERATING TEMPERATURE
4. SUITABLE FOR LIGHT PIPE WITH $\varnothing 2.2\text{mm}$ JACKET AND OPTICAL CORE NO GREATER THAN $\varnothing 1.5\text{mm}$

REVISIONS


| REV | DESCRIPTION | ECO | DATE | DWN | APVD |
|-----|---|------|------------|-----|------|
| A | Initial release | | 11/12/2008 | BB | RD |
| B | Redrew, fixed diameter of mounting hole | 0065 | 2/9/2010 | BB | AR |



MOUNTING HOLE

PART IS MADE OF TRANSPARENT POLYCARBONATE.

| UNLESS OTHERWISE SPECIFIED DIMENSIONS MILLIMETERS [IN.] | PRODUCT | Light Pipe | INDUSTRIAL FIBER OPTICS |
|---|------------|---------------|----------------------------------|
| TOLERANCES | MATERIAL | Polycarbonate | TEMPE, AZ 85281 |
| 0 PLC: ±1 | FINISH | | NAME |
| 1 PLC: ±.25 | DRAWN BY | B. Bidwell | Lens, Light Pipe to Panel |
| 2 PLC: ±.127 | DATE | 2/9/2010 | SIZE |
| 3 PLC: ±.025 | CHECKED BY | A. Reyes | A |
| 4 PLC: ±.013 | DATE | 2/11/2010 | SCALE |
| ANGLE: ±1/2° | | | 4:1 |
| REMOVE BURRS AND SHARP EDGES FLATNESS .005mm PER mm ALL DIMENSIONS AFTER FINISH | | | PART NUMBER |
| | | | 51 0350 |
| | | | REV |
| | | | B |



METRIC

DO NOT SCALE DRAWING

Sheet 1 of 1

X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for [industrial fiberoptics manufacturer](#):

Other Similar products are found below :

[IF-527](#) [51 0470](#) [510054](#) [51 0420](#) [IF-E92B](#) [IF-FC1](#) [IF 635-22-5](#) [IF 101D-0-30](#) [IF-562](#) [IF-PM](#) [IF-E22](#) [IF-E92A](#) [IF-D98](#) [51 0410](#) [IF-D95OC](#)
[IF-D97](#) [IF-E98](#) [IF-D92](#) [IF-E97](#) [IF-E99B](#) [IF-E93](#) [IF-E96E](#)